

# **dowell's®** | **POLYCAB**

## SYMBOL OF QUALITY

Connecting Power Networks with Trust



House of Designers & Makers of Terminals,  
Tools & Cable Glands Since 1961

National Price  
List 25<sup>th</sup> May

**2026**



# INDEX

---

|                                                                               |          |
|-------------------------------------------------------------------------------|----------|
| <b>ABOUT DOWELL'S</b>                                                         | <b>2</b> |
| <b>DOWELL'S PRODUCT CATEGORY</b>                                              | <b>4</b> |
| <b>CONNECTORS AND LUGS FOR 2C, 3C, 3.5C &amp; 4C SECTOR SHAPED CONDUCTORS</b> | <b>5</b> |

|                                            |    |
|--------------------------------------------|----|
| Copper Sector Lugs – Long Barrel .....     | 6  |
| Copper Sector Lugs – Short Barrel .....    | 7  |
| Copper & Aluminium connectors .....        | 8  |
| Aluminium Sector Lugs – Long Barrel .....  | 9  |
| Aluminium Sector Lugs – Short Barrel ..... | 10 |

---

|                      |              |
|----------------------|--------------|
| <b>COPPER SERIES</b> | <b>11-14</b> |
|----------------------|--------------|

|                                                                  |    |
|------------------------------------------------------------------|----|
| Copper Tube Terminals Medium Duty .....                          |    |
| Copper Tube Terminals Heavy Duty Long Barrel .....               |    |
| Copper Tube Terminals Heavy Duty BS 4579/IEC 61238 .....         |    |
| Copper Tube Terminals Extended Palm (Blank) .....                |    |
| Copper Reducer Terminals .....                                   |    |
| Copper Tublar Terminals Long Barrel .....                        |    |
| Copper DIN Type Terminals .....                                  |    |
| Copper Tube Terminals ICF Series .....                           |    |
| Copper Tube Terminals Heavy Duty In – line Connectors .....      |    |
| Copper Tube Terminals Heavy Duty In – Insulated Connectors ..... |    |
| Copper Tube Light Duty In – line Connectors .....                | 14 |

---

|                         |              |
|-------------------------|--------------|
| <b>ALUMINIUM SERIES</b> | <b>15-16</b> |
|-------------------------|--------------|

|                                                                        |    |
|------------------------------------------------------------------------|----|
| Aluminium Tube Terminals .....                                         |    |
| Aluminium Tube Terminals Long Barrel .....                             |    |
| Aluminium Terminals for Al. XLPE Insulated Conductors .....            |    |
| Aluminium Tube Terminals Two Holes .....                               |    |
| Aluminium Reducer Terminals .....                                      |    |
| Aluminium In – line Connectors .....                                   |    |
| Aluminium In – line Connectors for Al. XLPE Insulated Conductors ..... | 16 |

---

|                           |           |
|---------------------------|-----------|
| <b>BI-METTALIC SERIES</b> | <b>17</b> |
|---------------------------|-----------|

|                                                    |    |
|----------------------------------------------------|----|
| Bi-Mettalic Connectors (Friction Welded) .....     |    |
| Bi-Mettalic Terminals (Friction Welded) .....      |    |
| Aluminium Alloy Tublar Bi-Mettalic Terminals ..... | 17 |

---

|                                              |              |
|----------------------------------------------|--------------|
| <b>COPPER RING, PIN &amp; FORK TERMINALS</b> | <b>18-20</b> |
|----------------------------------------------|--------------|

|                                                   |  |
|---------------------------------------------------|--|
| Pin Terminals non – insulated .....               |  |
| Pin Terminals Insulated .....                     |  |
| Pin Terminals Double Grip (Pre – insulated) ..... |  |

|                                                    |    |
|----------------------------------------------------|----|
| Ring Terminals non - insulated .....               |    |
| Ring Terminals Insulated .....                     |    |
| Ring Terminals Double Grip (Pre - insulated) ..... |    |
| Fork Terminals non - insulated .....               |    |
| Fork Terminals Insulated .....                     |    |
| Fork Terminals Double Grip (Pre - insulated) ..... |    |
| Snap on Terminals .....                            |    |
| End Sealing Ferrules non - insulated .....         |    |
| End Sealing Ferrules Insulated .....               |    |
| Copper Twin Type Lugs .....                        | 20 |

---

## CABLE GLANDS

**21-32**

|                                                                                                        |    |
|--------------------------------------------------------------------------------------------------------|----|
| Double Compression Armoured weather and Flame Proof Brass Cable Glands .....                           |    |
| Double Compression Type Medium Duty Armoured Brass Cable Glands .....                                  |    |
| Double Compression Un - Armoured Brass Cable Glands .....                                              |    |
| Single Compression & SIBG Brass Cable Glands .....                                                     |    |
| Brass PG Gland .....                                                                                   |    |
| Nylon PG Gland .....                                                                                   |    |
| Flange Type Cable Glands .....                                                                         |    |
| Double Compression Armoured weather and Flame Proof SS316/304 Cable Glands with NPT Threading .....    |    |
| Double Compression Armoured weather and Flame Proof SS316/304 Cable Glands with Metric Threading ..... |    |
| Double Compression Armoured weather and Flame Proof SS316/304 Cable Glands .....                       |    |
| Earth Tag & LSF/ LSZH Shroud .....                                                                     | 32 |

---

## CRIMPING TOOLS

**34-41**

|                                                        |    |
|--------------------------------------------------------|----|
| Mechanical Crimping Tools (Hand Operated).....         |    |
| Self-Adjustable Crimping Pliers.....                   |    |
| Hexagonal Crimping Tools (Mechanical & Hydraulic)..... |    |
| Hydraulic Pump.....                                    |    |
| Cable Cutter.....                                      |    |
| Cutter & Stripper Tools.....                           |    |
| Modular Crimping Tools.....                            | 41 |

---

## TOOLS & ACCESSORIES

**42-43**

|                                     |    |
|-------------------------------------|----|
| Hydraulic Crimping Tools .....      |    |
| Corrosion Inhibiting Compound ..... |    |
| Jack for SYD/ SYT/ SYE .....        | 43 |

---

## HEAT GUN

**43**

---

## DOWELL'S CLIENT

**44-45**





## COMPANY PROFILE

Dowells is proud of being Pioneer & market leader in Terminal Technology with its accumulated experience in the line of manufacturing of cable Terminals, Connectors, Cable Glands, Crimping system & Accessories since 1961.

At present, Dowells Cable Accessories Pvt Ltd Company is a subsidiary of Polycab India Ltd., India's leading Cables & Wires company with a glorious track record of over 4 decades having their manufacturing facilities at Halol in Gujarat state having a measuring area of 1,00,000 Sq. ft with in house manufacturing facilities. This facility caters to more than 2500 line items with production capacity of 2500 metric tons per annum, with an aim to serve world's best technology for cable connections.

## OUR VISION


To solidify our leadership in Wire and Cable Accessories by investing in technology, boosting operational efficiency, and prioritizing customer satisfaction, while enhancing sales, services, and brand recognition.

## OUR MISSION

we will create a great place to work by inspiring our people to continuously innovate and bring greater value to our customers and environment, there by enhancing stakeholder value.



**Dowell's  
Product  
Category**



**CABLE  
GLANDS**



**CONNECTORS  
AND LUGS**



**TOOLS &  
ACCESSORIES**

# CONNECTORS AND LUGS FOR 2C,3C,3.5C & 4C SECTOR SHAPED CONDUCTORS

Designed primarily for solid or stranded sector shaped conductors for all angular arrangement of 2C,3C,3.5C and 4C cables. Dowell connectors allow a precision fit on the sector conductor, resulting in a perfect and a reliable connection. The connectors and lugs being sector shaped, it eliminates the process of rounding of sector shaped cable conductors. The design gives an optimum crimping quality with sector shaped dies, making it more reliable and trusted connection.

## CABLE GLANDS

DOWELL's cable glands are available for armoured and unarmored cables and are designed for usage in oil and gas, petrochemical, construction, pharmaceutical, transportation, solar and mining industries, to name a few. Dowell's cable glands are available in Brass, Nickel coated brass, Tin coated brass, Stainless steel, Nylon and Polyamide. Dowell's glands provides excellent vermin proofing and protection to the cores of the cables.

## CONNECTORS AND LUGS

DOWELL's is a pioneer in designing and manufacturing Solderless Electrical tubular connectors. These Connectors are crimped on to a conductor, to facilitate a termination or a straight connection with utmost reliability. These are designed with optimum ductility which is an absolute necessity for connectors that will have to withstand the severe deformation arising when compressed or crimped during the installation. The connectors are available in both aluminium and copper (Electrolytically tin plated to prevent oxidation), Bimetallic and Friction welded (CU to Al). Sheet metal terminals are also available as Ring, Pin & Fork terminals. Dowell corrosion Inhibiting compound is available to prevent oxidation on conductors surfaces.

## TOOLS & ACCESSORIES

The extensive range of tools and accessories have been developed to offer the best equipment for crimping and preparing the connectors. Manual, Hydraulic and Electrically operated tools are available. These tools are specifically designed to match DOWELL'S connectors shapes and dimensions for ideal crimping and low resistance to obtain best performance and reliability.

## FEATURES

- Increase in the contact surface area
- Reduces contact Resistance > 10%
- Drastic Reduction in hot spots
- Improved conductivity
- Better resilience against electrical and mechanical forces

# COPPER SECTOR LUGS – LONG BARREL



| SIZE<br>(SQ - MM) | E-BOLT<br>HOLE | DOWELL 'S CATALOGUE NO. |          |          |          | PRICE<br>(₹) | STD<br>PKG. |
|-------------------|----------------|-------------------------|----------|----------|----------|--------------|-------------|
|                   |                | 2 CORE                  | 3 CORE   | 3.5 CORE | 4 CORE   |              |             |
| 25                | 8.4            | CUS-2001                | CUS-3001 | CUS-3501 | CUS-4001 | 85.12        | 100         |
| 25                | 10.5           | CUS-2002                | CUS-3002 | CUS-3502 | CUS-4002 | 85.12        | 100         |
| 25                | 13             | CUS-2003                | CUS-3003 | CUS-3503 | CUS-4003 | 85.12        | 100         |
| 35                | 8.4            | CUS-2004                | CUS-3004 | CUS-3504 | CUS-4004 | 133.28       | 100         |
| 35                | 10.5           | CUS-2005                | CUS-3005 | CUS-3505 | CUS-4005 | 133.28       | 100         |
| 50                | 8.4            | CUS-2006                | CUS-3006 | CUS-3506 | CUS-4006 | 190.40       | 200         |
| 50                | 10.5           | CUS-2007                | CUS-3007 | CUS-3507 | CUS-4007 | 190.40       | 100         |
| 50                | 13             | CUS-2008                | CUS-3008 | CUS-3508 | CUS-4008 | 190.40       | 200         |
| 70                | 8.4            | CUS-2009                | CUS-3009 | CUS-3509 | CUS-4009 | 305.76       | 60          |
| 70                | 10.5           | CUS-2010                | CUS-3010 | CUS-3510 | CUS-4010 | 305.76       | 60          |
| 70                | 13             | CUS-2011                | CUS-3011 | CUS-3511 | CUS-4011 | 305.76       | 200         |
| 95                | 10.5           | CUS-2012                | CUS-3012 | CUS-3512 | CUS-4012 | 412.16       | 40          |
| 95                | 13             | CUS-2013                | CUS-3013 | CUS-3513 | CUS-4013 | 412.16       | 40          |
| 95                | 17             | CUS-2014                | CUS-3014 | CUS-3514 | CUS-4014 | 412.16       | 100         |
| 120               | 10.5           | CUS-2015                | CUS-3015 | CUS-3515 | CUS-4015 | 528.64       | 80          |
| 120               | 13             | CUS-2016                | CUS-3016 | CUS-3516 | CUS-4016 | 528.64       | 40          |
| 120               | 17             | CUS-2017                | CUS-3017 | CUS-3517 | CUS-4017 | 528.64       | 40          |
| 150               | 10.5           | CUS-2018                | CUS-3018 | CUS-3518 | CUS-4018 | 756.00       | 60          |
| 150               | 13             | CUS-2019                | CUS-3019 | CUS-3519 | CUS-4019 | 756.00       | 60          |
| 150               | 17             | CUS-2020                | CUS-3020 | CUS-3520 | CUS-4020 | 756.00       | 100         |
| 185               | 10.5           | CUS-2021                | CUS-3021 | CUS-3521 | CUS-4021 | 861.28       | 40          |
| 185               | 13             | CUS-2022                | CUS-3022 | CUS-3522 | CUS-4022 | 861.28       | 40          |
| 185               | 17             | CUS-2023                | CUS-3023 | CUS-3523 | CUS-4023 | 861.28       | 40          |
| 240               | 13             | CUS-2024                | CUS-3024 | CUS-3524 | CUS-4024 | 1,261.12     | 80          |
| 240               | 17             | CUS-2025                | CUS-3025 | CUS-3525 | CUS-4025 | 1,261.12     | 40          |
| 300               | 17             | CUS-2026                | CUS-3026 | CUS-3526 | CUS-4026 | 1,578.08     | 40          |
| 300               | 20.3           | CUS-2027                | CUS-3027 | CUS-3527 | CUS-4027 | 1,578.08     | 60          |
| 400               | 20.3           | CUS-2028                | CUS-3028 | CUS-3528 | CUS-4028 | 2,228.80     | 40          |
| 500               | 21             | CUS-2029                | CUS-3029 | CUS-3529 | CUS-4029 | 2,621.92     | 20          |
| 630               | 21             | CUS-2030                | CUS-3030 | CUS-3530 | CUS-4030 | 3,935.68     | 20          |

## COPPER SECTOR LUGS – SHORT BARREL



| SIZE<br>(SQ - MM) | E-BOLT<br>HOLE | DOWELL 'S CATALOGUE NO. |          |          |          | PRICE<br>(₹) | STD<br>PKG. |
|-------------------|----------------|-------------------------|----------|----------|----------|--------------|-------------|
|                   |                | 2 CORE                  | 3 CORE   | 3.5 CORE | 4 CORE   |              |             |
| 25                | 8.4            | CUS-2101                | CUS-3101 | CUS-3601 | CUS-4101 | 59.36        | 100         |
| 25                | 10.5           | CUS-2102                | CUS-3102 | CUS-3602 | CUS-4102 | 59.36        | 100         |
| 25                | 13             | CUS-2103                | CUS-3103 | CUS-3603 | CUS-4103 | 59.36        | 100         |
| 35                | 8.4            | CUS-2104                | CUS-3104 | CUS-3604 | CUS-4104 | 86.24        | 200         |
| 35                | 10.5           | CUS-2105                | CUS-3105 | CUS-3605 | CUS-4105 | 86.24        | 100         |
| 50                | 8.4            | CUS-2106                | CUS-3106 | CUS-3606 | CUS-4106 | 133.28       | 200         |
| 50                | 10.5           | CUS-2107                | CUS-3107 | CUS-3607 | CUS-4107 | 133.28       | 100         |
| 50                | 13             | CUS-2108                | CUS-3108 | CUS-3608 | CUS-4108 | 133.28       | 100         |
| 70                | 8.4            | CUS-2109                | CUS-3109 | CUS-3609 | CUS-4109 | 218.40       | 200         |
| 70                | 10.5           | CUS-2110                | CUS-3110 | CUS-3610 | CUS-4110 | 218.40       | 200         |
| 70                | 13             | CUS-2111                | CUS-3111 | CUS-3611 | CUS-4111 | 218.40       | 200         |
| 95                | 10.5           | CUS-2112                | CUS-3112 | CUS-3612 | CUS-4112 | 258.72       | 100         |
| 95                | 13             | CUS-2113                | CUS-3113 | CUS-3613 | CUS-4113 | 258.72       | 100         |
| 95                | 17             | CUS-2114                | CUS-3114 | CUS-3614 | CUS-4114 | 258.72       | 100         |
| 120               | 10.5           | CUS-2115                | CUS-3115 | CUS-3615 | CUS-4115 | 387.52       | 100         |
| 120               | 13             | CUS-2116                | CUS-3116 | CUS-3616 | CUS-4116 | 387.52       | 100         |
| 120               | 17             | CUS-2117                | CUS-3117 | CUS-3617 | CUS-4117 | 387.52       | 100         |
| 150               | 10.5           | CUS-2118                | CUS-3118 | CUS-3618 | CUS-4118 | 487.20       | 100         |
| 150               | 13             | CUS-2119                | CUS-3119 | CUS-3619 | CUS-4119 | 487.20       | 100         |
| 150               | 17             | CUS-2120                | CUS-3120 | CUS-3620 | CUS-4120 | 487.20       | 100         |
| 185               | 10.5           | CUS-2121                | CUS-3121 | CUS-3621 | CUS-4121 | 624.96       | 100         |
| 185               | 13             | CUS-2122                | CUS-3122 | CUS-3622 | CUS-4122 | 624.96       | 100         |
| 185               | 17             | CUS-2123                | CUS-3123 | CUS-3623 | CUS-4123 | 624.96       | 100         |
| 240               | 13             | CUS-2124                | CUS-3124 | CUS-3624 | CUS-4124 | 984.48       | 80          |
| 240               | 17             | CUS-2125                | CUS-3125 | CUS-3625 | CUS-4125 | 984.48       | 80          |
| 300               | 17             | CUS-2126                | CUS-3126 | CUS-3626 | CUS-4126 | 1,257.76     | 60          |
| 300               | 20.3           | CUS-2127                | CUS-3127 | CUS-3627 | CUS-4127 | 1,257.76     | 60          |
| 400               | 20.3           | CUS-2128                | CUS-3128 | CUS-3628 | CUS-4128 | 1,865.92     | 40          |
| 500               | 21             | CUS-2129                | CUS-3129 | CUS-3629 | CUS-4129 | 2,164.96     | 20          |
| 630               | 21             | CUS-2130                | CUS-3130 | CUS-3630 | CUS-4130 | 3,245.76     | 20          |

## COPPER SECTOR CONNECTORS



| SIZE<br>(SQ - MM) | DOWELL 'S CATALOGUE NO. |           |             |           | PRICE<br>(₹) | STD<br>PKG. |
|-------------------|-------------------------|-----------|-------------|-----------|--------------|-------------|
|                   | 2 CORE                  | 3 CORE    | 3.5 CORE    | 4 CORE    |              |             |
| 25                | 2S-CB-25                | 3S-CB-25  | 3.5S-CB-25  | 4S-CB-25  | 41.44        | 100         |
| 35                | 2S-CB-35                | 3S-CB-35  | 3.5S-CB-35  | 4S-CB-35  | 62.72        | 100         |
| 50                | 2S-CB-50                | 3S-CB-50  | 3.5S-CB-50  | 4S-CB-50  | 101.92       | 100         |
| 70                | 2S-CB-70                | 3S-CB-70  | 3.5S-CB-70  | 4S-CB-70  | 174.72       | 200         |
| 95                | 2S-CB-95                | 3S-CB-95  | 3.5S-CB-95  | 4S-CB-95  | 254.24       | 100         |
| 120               | 2S-CB-120               | 3S-CB-120 | 3.5S-CB-120 | 4S-CB-120 | 328.16       | 100         |
| 150               | 2S-CB-150               | 3S-CB-150 | 3.5S-CB-150 | 4S-CB-150 | 440.16       | 100         |
| 185               | 2S-CB-185               | 3S-CB-185 | 3.5S-CB-185 | 4S-CB-185 | 620.48       | 100         |
| 240               | 2S-CB-240               | 3S-CB-240 | 3.5S-CB-240 | 4S-CB-240 | 960.96       | 80          |
| 300               | 2S-CB-300               | 3S-CB-300 | 3.5S-CB-300 | 4S-CB-300 | 1,335.04     | 60          |
| 400               | 2S-CB-400               | 3S-CB-400 | 3.5S-CB-400 | 4S-CB-400 | 2,048.48     | 40          |
| 500               | 2S-CB-500               | 3S-CB-500 | 3.5S-CB-500 | 4S-CB-500 | 2,346.40     | 40          |
| 630               | 2S-CB-630               | 3S-CB-630 | 3.5S-CB-630 | 4S-CB-630 | 3,214.40     | 30          |

## ALUMINIUM SECTOR CONNECTORS



| SIZE<br>(SQ - MM) | DOWELL 'S CATALOGUE NO. |           |             |           | PRICE<br>(₹) | STD<br>PKG. |
|-------------------|-------------------------|-----------|-------------|-----------|--------------|-------------|
|                   | 2 CORE                  | 3 CORE    | 3.5 CORE    | 4 CORE    |              |             |
| 25                | 2S-ALS-1                | 3S-ALS-1  | 3.5S-ALS-1  | 4S-ALS-1  | 5.42         | 200         |
| 35                | 2S-ALS-2                | 3S-ALS-2  | 3.5S-ALS-2  | 4S-ALS-2  | 9.49         | 800         |
| 50                | 2S-ALS-3                | 3S-ALS-3  | 3.5S-ALS-3  | 4S-ALS-3  | 16.26        | 800         |
| 70                | 2S-ALS-4                | 3S-ALS-4  | 3.5S-ALS-4  | 4S-ALS-4  | 27.10        | 1600        |
| 95                | 2S-ALS-5                | 3S-ALS-5  | 3.5S-ALS-5  | 4S-ALS-5  | 40.32        | 100         |
| 120               | 2S-ALS-6                | 3S-ALS-6  | 3.5S-ALS-6  | 4S-ALS-6  | 43.68        | 80          |
| 150               | 2S-ALS-7                | 3S-ALS-7  | 3.5S-ALS-7  | 4S-ALS-7  | 60.48        | 100         |
| 185               | 2S-ALS-8                | 3S-ALS-8  | 3.5S-ALS-8  | 4S-ALS-8  | 77.28        | 100         |
| 240               | 2S-ALS-9                | 3S-ALS-9  | 3.5S-ALS-9  | 4S-ALS-9  | 122.08       | 80          |
| 300               | 2S-ALS-10               | 3S-ALS-10 | 3.5S-ALS-10 | 4S-ALS-10 | 165.76       | 60          |
| 400               | 2S-ALS-11               | 3S-ALS-11 | 3.5S-ALS-11 | 4S-ALS-11 | 256.48       | 40          |
| 500               | 2S-ALS-19               | 3S-ALS-19 | 3.5S-ALS-19 | 4S-ALS-19 | 306.88       | 20          |
| 630               | 2S-ALS-20               | 3S-ALS-20 | 3.5S-ALS-20 | 4S-ALS-20 | 406.56       | 20          |

# ALUMINIUM SECTOR LUGS – LONG BARREL



| SIZE<br>(SQ - MM) | E-BOLT<br>HOLE | DOWELL 'S CATALOGUE NO. |            |              |            | PRICE<br>(₹) | STD<br>PKG. |
|-------------------|----------------|-------------------------|------------|--------------|------------|--------------|-------------|
|                   |                | 2 CORE                  | 3 CORE     | 3.5 CORE     | 4 CORE     |              |             |
| 25                | 8.4            | 2S-ALS-518              | 3S-ALS-518 | 3.5S-ALS-518 | 4S-ALS-518 | 10.84        | 800         |
| 25                | 10.5           | 2S-ALS-519              | 3S-ALS-519 | 3.5S-ALS-519 | 4S-ALS-519 | 10.84        | 800         |
| 25                | 13             | 2S-ALS-520              | 3S-ALS-520 | 3.5S-ALS-520 | 4S-ALS-520 | 10.84        | 800         |
| 35                | 8.4            | 2S-ALS-521              | 3S-ALS-521 | 3.5S-ALS-521 | 4S-ALS-521 | 14.91        | 400         |
| 35                | 10.5           | 2S-ALS-522              | 3S-ALS-522 | 3.5S-ALS-522 | 4S-ALS-522 | 14.91        | 400         |
| 50                | 8.4            | 2S-ALS-655              | 3S-ALS-655 | 3.5S-ALS-655 | 4S-ALS-655 | 24.39        | 400         |
| 50                | 10.5           | 2S-ALS-512              | 3S-ALS-512 | 3.5S-ALS-512 | 4S-ALS-512 | 24.39        | 400         |
| 50                | 13             | 2S-ALS-524              | 3S-ALS-524 | 3.5S-ALS-524 | 4S-ALS-524 | 24.39        | 400         |
| 70                | 8.4            | 2S-ALS-556              | 3S-ALS-556 | 3.5S-ALS-556 | 4S-ALS-556 | 36.96        | 200         |
| 70                | 10.5           | 2S-ALS-525              | 3S-ALS-525 | 3.5S-ALS-525 | 4S-ALS-525 | 36.96        | 200         |
| 70                | 13             | 2S-ALS-526              | 3S-ALS-526 | 3.5S-ALS-526 | 4S-ALS-526 | 36.96        | 200         |
| 95                | 10.5           | 2S-ALS-527              | 3S-ALS-527 | 3.5S-ALS-527 | 4S-ALS-527 | 44.80        | 200         |
| 95                | 13             | 2S-ALS-528              | 3S-ALS-528 | 3.5S-ALS-528 | 4S-ALS-528 | 44.80        | 200         |
| 95                | 17             | 2S-ALS-529              | 3S-ALS-529 | 3.5S-ALS-529 | 4S-ALS-529 | 44.80        | 200         |
| 120               | 10.5           | 2S-ALS-557              | 3S-ALS-557 | 3.5S-ALS-557 | 4S-ALS-557 | 59.36        | 160         |
| 120               | 13             | 2S-ALS-530              | 3S-ALS-530 | 3.5S-ALS-530 | 4S-ALS-530 | 59.36        | 160         |
| 120               | 17             | 2S-ALS-531              | 3S-ALS-531 | 3.5S-ALS-531 | 4S-ALS-531 | 59.36        | 160         |
| 150               | 10.5           | 2S-ALS-658              | 3S-ALS-658 | 3.5S-ALS-658 | 4S-ALS-658 | 73.92        | 100         |
| 150               | 13             | 2S-ALS-532              | 3S-ALS-532 | 3.5S-ALS-532 | 4S-ALS-532 | 73.92        | 100         |
| 150               | 17             | 2S-ALS-533              | 3S-ALS-533 | 3.5S-ALS-533 | 4S-ALS-533 | 73.92        | 100         |
| 185               | 10.5           | 2S-ALS-511              | 3S-ALS-511 | 3.5S-ALS-511 | 4S-ALS-511 | 99.68        | 100         |
| 185               | 13             | 2S-ALS-534              | 3S-ALS-534 | 3.5S-ALS-534 | 4S-ALS-534 | 99.68        | 100         |
| 185               | 17             | 2S-ALS-535              | 3S-ALS-535 | 3.5S-ALS-535 | 4S-ALS-535 | 99.68        | 100         |
| 240               | 13             | 2S-ALS-536              | 3S-ALS-536 | 3.5S-ALS-536 | 4S-ALS-536 | 160.16       | 60          |
| 240               | 17             | 2S-ALS-537              | 3S-ALS-537 | 3.5S-ALS-537 | 4S-ALS-537 | 160.16       | 60          |
| 300               | 17             | 2S-ALS-500              | 3S-ALS-500 | 3.5S-ALS-500 | 4S-ALS-500 | 217.28       | 40          |
| 300               | 20.3           | 2S-ALS-559              | 3S-ALS-559 | 3.5S-ALS-559 | 4S-ALS-559 | 217.28       | 40          |
| 400               | 20.3           | 2S-ALS-560              | 3S-ALS-560 | 3.5S-ALS-560 | 4S-ALS-560 | 299.04       | 40          |
| 500               | 20.3           | 2S-ALS-596              | 3S-ALS-596 | 3.5S-ALS-596 | 4S-ALS-596 | 474.88       | 20          |
| 630               | 20.3           | 2S-ALS-561              | 3S-ALS-561 | 3.5S-ALS-561 | 4S-ALS-561 | 610.40       | 20          |

# ALUMINIUM SECTOR LUGS – SHORT BARREL



| SIZE<br>(SQ - MM) | E-BOLT<br>HOLE | DOWELL 'S CATALOGUE NO. |            |              |            | PRICE<br>(₹) | STD<br>PKG. |
|-------------------|----------------|-------------------------|------------|--------------|------------|--------------|-------------|
|                   |                | 2 CORE                  | 3 CORE     | 3.5 CORE     | 4 CORE     |              |             |
| 25                | 8.4            | 2S-ALS-218              | 3S-ALS-218 | 3.5S-ALS-218 | 4S-ALS-218 | 8.13         | 40          |
| 25                | 10.5           | 2S-ALS-219              | 3S-ALS-219 | 3.5S-ALS-219 | 4S-ALS-219 | 8.13         | 800         |
| 25                | 13             | 2S-ALS-220              | 3S-ALS-220 | 3.5S-ALS-220 | 4S-ALS-220 | 8.13         | 800         |
| 35                | 8.4            | 2S-ALS-221              | 3S-ALS-221 | 3.5S-ALS-221 | 4S-ALS-221 | 9.49         | 400         |
| 35                | 10.5           | 2S-ALS-222              | 3S-ALS-222 | 3.5S-ALS-222 | 4S-ALS-222 | 9.49         | 800         |
| 50                | 8.4            | 2S-ALS-255              | 3S-ALS-255 | 3.5S-ALS-255 | 4S-ALS-255 | 14.91        | 400         |
| 50                | 10.5           | 2S-ALS-312              | 3S-ALS-312 | 3.5S-ALS-312 | 4S-ALS-312 | 14.91        | 400         |
| 50                | 13             | 2S-ALS-224              | 3S-ALS-224 | 3.5S-ALS-224 | 4S-ALS-224 | 14.91        | 400         |
| 70                | 8.4            | 2S-ALS-256              | 3S-ALS-256 | 3.5S-ALS-256 | 4S-ALS-256 | 27.10        | 200         |
| 70                | 10.5           | 2S-ALS-225              | 3S-ALS-225 | 3.5S-ALS-225 | 4S-ALS-225 | 27.10        | 200         |
| 70                | 13             | 2S-ALS-226              | 3S-ALS-226 | 3.5S-ALS-226 | 4S-ALS-226 | 27.10        | 200         |
| 95                | 10.5           | 2S-ALS-227              | 3S-ALS-227 | 3.5S-ALS-227 | 4S-ALS-227 | 34.72        | 200         |
| 95                | 13             | 2S-ALS-228              | 3S-ALS-228 | 3.5S-ALS-228 | 4S-ALS-228 | 34.72        | 200         |
| 95                | 17             | 2S-ALS-229              | 3S-ALS-229 | 3.5S-ALS-229 | 4S-ALS-229 | 34.72        | 200         |
| 120               | 10.5           | 2S-ALS-257              | 3S-ALS-257 | 3.5S-ALS-257 | 4S-ALS-257 | 47.04        | 200         |
| 120               | 13             | 2S-ALS-230              | 3S-ALS-230 | 3.5S-ALS-230 | 4S-ALS-230 | 47.04        | 200         |
| 120               | 17             | 2S-ALS-231              | 3S-ALS-231 | 3.5S-ALS-231 | 4S-ALS-231 | 47.04        | 200         |
| 150               | 10.5           | 2S-ALS-258              | 3S-ALS-258 | 3.5S-ALS-258 | 4S-ALS-258 | 61.60        | 160         |
| 150               | 13             | 2S-ALS-232              | 3S-ALS-232 | 3.5S-ALS-232 | 4S-ALS-232 | 61.60        | 160         |
| 150               | 17             | 2S-ALS-233              | 3S-ALS-233 | 3.5S-ALS-233 | 4S-ALS-233 | 61.60        | 160         |
| 185               | 10.5           | 2S-ALS-311              | 3S-ALS-311 | 3.5S-ALS-311 | 4S-ALS-311 | 77.28        | 100         |
| 185               | 13             | 2S-ALS-234              | 3S-ALS-234 | 3.5S-ALS-234 | 4S-ALS-234 | 77.28        | 100         |
| 185               | 17             | 2S-ALS-235              | 3S-ALS-235 | 3.5S-ALS-235 | 4S-ALS-235 | 77.28        | 80          |
| 240               | 13             | 2S-ALS-236              | 3S-ALS-236 | 3.5S-ALS-236 | 4S-ALS-236 | 120.96       | 80          |
| 240               | 17             | 2S-ALS-237              | 3S-ALS-237 | 3.5S-ALS-237 | 4S-ALS-237 | 120.96       | 60          |
| 300               | 17             | 2S-ALS-300              | 3S-ALS-300 | 3.5S-ALS-300 | 4S-ALS-300 | 180.32       | 60          |
| 300               | 20.3           | 2S-ALS-259              | 3S-ALS-259 | 3.5S-ALS-259 | 4S-ALS-259 | 180.32       | 40          |
| 400               | 20.3           | 2S-ALS-260              | 3S-ALS-260 | 3.5S-ALS-260 | 4S-ALS-260 | 229.60       | 20          |
| 500               | 20.3           | 2S-ALS-296              | 3S-ALS-296 | 3.5S-ALS-296 | 4S-ALS-296 | 341.60       | 30          |
| 630               | 20.3           | 2S-ALS-261              | 3S-ALS-261 | 3.5S-ALS-261 | 4S-ALS-261 | 456.96       | 30          |

# COPPER SERIES

Designed for excellent performance, copper series products, is guaranteed by high quality raw materials for making safe, reliable, and long-lasting electrical connections upto 36kV



## COPPER TUBE TERMINAL MEDIUM DUTY

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
|--------------------|----------|-----------|----------|
| 2.5-5              | CUS-05   | 9.35      | 8000     |
| 4-6                | CUS-06   | 12.47     | 4000     |
| 6-6                | CUS-07   | 14.03     | 3200     |
| 10-6               | CUS-08   | 17.14     | 3200     |
| 16-6               | CUS-09   | 31.36     | 3200     |
| 25-6               | CUS-10   | 38.08     | 1600     |
| 35-6               | CUS-11   | 54.88     | 1600     |
| 35-8               | CUS-12   | 54.88     | 1600     |
| 50-6               | CUS-13   | 72.80     | 400      |
| 50-8               | CUS-14   | 72.80     | 800      |
| 50-10              | CUS-15   | 72.80     | 800      |
| 70-8               | CUS-16   | 125.44    | 200      |
| 70-10              | CUS-17   | 125.44    | 400      |
| 70-12              | CUS-18   | 125.44    | 400      |
| 95-10              | CUS-19   | 181.44    | 400      |
| 95-12              | CUS-20   | 181.44    | 400      |
| 120-10             | CUS-21   | 228.48    | 200      |
| 120-12             | CUS-22   | 228.48    | 200      |
| 120-16             | CUS-23   | 228.48    | 200      |
| 150-10             | CUS-24   | 336.00    | 200      |
| 150-12             | CUS-25   | 336.00    | 200      |
| 150-16             | CUS-26   | 336.00    | 200      |
| 185-12             | CUS-27   | 499.52    | 100      |
| 185-16             | CUS-28   | 499.52    | 100      |
| 225-16             | CUS-231  | 591.36    | 100      |
| 240-16             | CUS-29   | 668.64    | 100      |
| 240-20             | CUS-30   | 668.64    | 100      |
| 300-16             | CUS-31   | 993.44    | 60       |
| 300-20             | CUS-32   | 993.44    | 60       |
| 400-20             | CUS-33   | 1,351.84  | 40       |
| 500-20             | CUS-34   | 1,806.56  | 40       |
| 630-20             | CUS-35   | 2,533.44  | 20       |
| 800                | CUS-062  | 4,169.76  | 20       |
| 1000               | CUS-076  | 9,198.56  | 10       |

## COPPER TUBE TERMINAL HEAVY DUTY LONG BARREL

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
|--------------------|----------|-----------|----------|
| 25-8               | CUS-282  | 43.68     | 800      |
| 35-8               | CUS-283  | 92.96     | 800      |
| 50-8               | CUS-284  | 153.44    | 400      |
| 70-10              | CUS-285  | 236.32    | 200      |
| 95-12              | CUS-286  | 369.60    | 200      |
| 120-12             | CUS-287  | 525.28    | 100      |
| 150-12             | CUS-288  | 647.36    | 100      |
| 185-12             | CUS-289  | 937.44    | 100      |
| 240-16             | CUS-290  | 1,314.88  | 60       |
| 300-16             | CUS-291  | 1,733.76  | 40       |
| 400-20             | CUS-292  | 2,642.08  | 20       |
| 500-21             | CUS-293  | 4,690.56  | 20       |
| 630-21             | CUS-294  | 6,248.48  | 15       |



## COPPER TUBE TERMINAL EXTENDED PALM (BLANK)

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
|--------------------|----------|-----------|----------|
| 50                 | CUS-466  | 197.12    | 200      |
| 70                 | CUS-467  | 324.80    | 200      |
| 95                 | CUS-468  | 463.68    | 100      |
| 120                | CUS-469  | 556.64    | 200      |
| 150                | CUS-470  | 730.24    | 100      |
| 185                | CUS-471  | 1081.92   | 100      |
| 240                | CUS-472  | 1,396.64  | 80       |
| 300                | CUS-473  | 2,307.20  | 60       |
| 400                | CUS-474  | 3,995.04  | 40       |
| 500                | CUS-475  | 4,791.36  | 20       |
| 630                | CUS-476  | 7,379.68  | 20       |

## COPPER TUBE TERMINAL HEAVY DUTY BS-4579/IEC 61238

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
|--------------------|----------|-----------|----------|
| 1.5-5              | CUS-538  | 10.91     | 8000     |
| 1.5-6              | CUS-539  | 10.91     | 8000     |
| 2.5-4              | CUS-388  | 12.47     | 4000     |
| 2.5-5              | CUS-540  | 12.47     | 4000     |
| 2.5-6              | CUS-541  | 12.47     | 4000     |
| 4-5                | CUS-389  | 15.58     | 4000     |
| 4-6                | CUS-543  | 15.58     | 4000     |
| 6-5                | CUS-390  | 17.14     | 6400     |
| 6-6                | CUS-544  | 17.14     | 6400     |
| 6-8                | CUS-545  | 17.14     | 6400     |
| 10-6               | CUS-353  | 20.26     | 3200     |
| 10-8               | CUS-547  | 20.26     | 3200     |
| 16-8               | CUS-549  | 26.49     | 3200     |
| 16-6               | CUS-354  | 26.49     | 3200     |
| 20-8               | CUS-550  | 29.12     | 800      |
| 25-6               | CUS-355  | 41.44     | 3200     |
| 25-8               | CUS-551  | 41.44     | 1600     |
| 25-10              | CUS-552  | 41.44     | 3200     |
| 35-8               | CUS-356  | 73.92     | 1600     |
| 35-6               | CUS-542  | 73.92     | 1600     |
| 35-10              | CUS-554  | 73.92     | 1600     |
| 50-8               | CUS-357  | 115.36    | 800      |
| 50-10              | CUS-556  | 115.36    | 800      |
| 70-10              | CUS-358  | 187.04    | 400      |
| 70-8               | CUS-557  | 187.04    | 400      |
| 70-13              | CUS-559  | 187.04    | 400      |
| 95-10              | CUS-359  | 265.44    | 400      |
| 95-13              | CUS-561  | 265.44    | 400      |
| 120-17             | CUS-546  | 343.84    | 200      |
| 120-13             | CUS-241  | 343.84    | 200      |
| 150-13             | CUS-242  | 428.96    | 200      |
| 150-17             | CUS-564  | 428.96    | 200      |
| 185-17             | CUS-243  | 666.40    | 100      |
| 240-17             | CUS-244  | 898.24    | 100      |
| 240-21             | CUS-567  | 898.24    | 50       |
| 300-17             | CUS-245  | 1,304.80  | 60       |
| 300-21             | CUS-569  | 1,304.80  | 60       |
| 400-17             | CUS-246  | 2,097.76  | 40       |
| 400-21             | CUS-571  | 2,097.76  | 20       |
| 500-21             | CUS-247  | 2,801.12  | 40       |
| 550-21             | CUS-573  | 3,413.76  | 20       |
| 630-21             | CUS-248  | 4,201.12  | 20       |
| 800                | CUS-599  | 7,300.16  | 15       |
| 1000               | CUS-590  | 10,385.76 | 10       |



| COPPER REDUCER TERMINAL |          |           |          |
|-------------------------|----------|-----------|----------|
| mm <sup>2</sup> -E      | CAT. NO. | PRICE (₹) | STD PKG. |
| 2.5                     | WPC-01   | 38.08     | 2400     |
| 2.5                     | WPC-07   | 34.72     | 2400     |
| 4                       | WPC-15   | 38.08     | 2400     |
| 4                       | WPC-16   | 34.72     | 4000     |
| 6                       | WPC-17   | 38.08     | 2400     |
| 6                       | WPC-18   | 34.72     | 4000     |
| 10                      | WPC-19   | 45.92     | 2400     |
| 10                      | WPC-20   | 41.44     | 3200     |
| 10                      | WPC-21   | 49.28     | 1600     |
| 10                      | WPC-22   | 43.68     | 3200     |
| 16                      | WPC-23   | 89.60     | 1600     |
| 16                      | WPC-24   | 89.60     | 1600     |
| 16                      | WPC-02   | 61.60     | 3200     |
| 25                      | WPC-25   | 94.08     | 800      |
| 25                      | WPC-03   | 123.20    | 400      |
| 35                      | WPC-04   | 136.64    | 1600     |
| 50                      | WPC-26   | 151.20    | 800      |
| 50                      | WPC-05   | 353.92    | 200      |
| 70                      | WPC-27   | 210.56    | 400      |
| 70                      | WPC-6    | 353.92    | 200      |
| 70                      | WPC-28   | 349.44    | 400      |
| 95                      | WPC-29   | 337.12    | 400      |
| 95                      | WPC-31   | 282.24    | 400      |
| 120                     | WPC-33   | 408.80    | 120      |
| 120                     | WPC-34   | 408.80    | 120      |
| 120                     | WPC-35   | 472.64    | 120      |
| 120                     | WPC-36   | 635.04    | 60       |
| 150                     | WPC-10   | 740.32    | 60       |
| 150                     | WPC-37   | 576.80    | 120      |
| 185                     | WPC-30   | 941.92    | 120      |
| 185                     | WPC-38   | 758.24    | 240      |
| 225                     | WPC-39   | 1,236.48  | 120      |
| 240                     | WPC-44   | 1,619.52  | 120      |
| 240                     | WPC-43   | 1,184.96  | 120      |
| 300                     | WPC-45   | 1,499.68  | 120      |
| 300                     | WPC-47   | 1,601.60  | 60       |
| 400                     | WPC-101  | 3,048.64  | 10       |

| COPPER TUBULAR TERMINALS LONG BARREL |          |           |          |
|--------------------------------------|----------|-----------|----------|
| mm <sup>2</sup> -E                   | CAT. NO. | PRICE (₹) | STD PKG. |
| 2.5-5                                | CEB-05   | 12.47     | 2400     |
| 4-6                                  | CEB-06   | 18.70     | 2400     |
| 6-6                                  | CEB-07   | 20.26     | 2400     |
| 10-6                                 | CEB-08   | 24.94     | 1600     |
| 16-6                                 | CEB-09   | 42.56     | 1600     |
| 25-6                                 | CEB-10   | 54.88     | 800      |
| 35-6                                 | CEB-11   | 77.28     | 100      |
| 35-8                                 | CEB-12   | 77.28     | 400      |
| 50-6                                 | CEB-13   | 98.56     | 100      |
| 50-8                                 | CEB-14   | 98.56     | 100      |
| 50-10                                | CEB-15   | 98.56     | 400      |
| 70-8                                 | CEB-16   | 161.28    | 100      |
| 70-10                                | CEB-17   | 161.28    | 100      |
| 70-12                                | CEB-18   | 161.28    | 100      |
| 95-10                                | CEB-19   | 209.44    | 100      |
| 95-12                                | CEB-20   | 209.44    | 100      |
| 120-10                               | CEB-21   | 284.48    | 200      |
| 120-12                               | CEB-22   | 284.48    | 200      |
| 120-16                               | CEB-23   | 284.48    | 200      |
| 150-10                               | CEB-24   | 408.80    | 100      |
| 150-12                               | CEB-25   | 408.80    | 100      |
| 150-16                               | CEB-26   | 408.80    | 100      |
| 185-12                               | CEB-27   | 596.96    | 100      |
| 185-16                               | CEB-28   | 596.96    | 100      |
| 225-16                               | CEB-231  | 751.52    | 100      |
| 240-16                               | CEB-29   | 822.08    | 80       |
| 240-20                               | CEB-30   | 822.08    | 80       |
| 300-16                               | CEB-31   | 1,136.80  | 60       |
| 300-20                               | CEB-32   | 1,136.80  | 60       |
| 400-20                               | CEB-33   | 1,646.40  | 40       |
| 500-20                               | CEB-34   | 2,218.72  | 20       |
| 630-20                               | CEB-35   | 3,088.96  | 20       |
| 800                                  | CEB-62   | 4,889.92  | 15       |
| 1000                                 | CEB-76   | 11,180.96 | 10       |



| COPPER DIN TYPE TERMINALS |           |           |          |                    |             |           |          |
|---------------------------|-----------|-----------|----------|--------------------|-------------|-----------|----------|
| mm <sup>2</sup> -E        | CAT. NO.  | PRICE (₹) | STD PKG. | mm <sup>2</sup> -E | CAT. NO.    | PRICE (₹) | STD PKG. |
| 6-5                       | DIN-6-5   | 29.12     | 800      | 95-16              | DIN-95-16   | 712.32    | 100      |
| 6-6                       | DIN-6-6   | 29.12     | 800      | 120-10             | DIN-120-10  | 1044.96   | 100      |
| 6-8                       | DIN-6-8   | 29.12     | 800      | 120-12             | DIN-120-12  | 1044.96   | 100      |
| 10-5                      | DIN-10-5  | 29.12     | 400      | 120-14             | DIN-120-14  | 1044.96   | 100      |
| 10-6                      | DIN-10-6  | 29.12     | 400      | 120-16             | DIN-120-16  | 1044.96   | 100      |
| 10-8                      | DIN-10-8  | 29.12     | 400      | 120-20             | DIN-120-20  | 1044.96   | 100      |
| 16-6                      | DIN-16-6  | 101.92    | 400      | 150-10             | DIN-150-10  | 1,275.68  | 100      |
| 16-8                      | DIN-16-8  | 101.92    | 200      | 150-12             | DIN-150-12  | 1,275.68  | 100      |
| 16-10                     | DIN-16-10 | 101.92    | 200      | 150-14             | DIN-150-14  | 1,275.68  | 100      |
| 16-12                     | DIN-16-12 | 101.92    | 200      | 150-16             | DIN-150-16  | 1,275.68  | 100      |
| 25-6                      | DIN-25-6  | 128.80    | 200      | 150-20             | DIN-150-20  | 1,275.68  | 100      |
| 25-8                      | DIN-25-8  | 128.80    | 200      | 185-10             | DIN-185-10  | 1,587.04  | 100      |
| 25-10                     | DIN-25-10 | 128.80    | 200      | 185-12             | DIN-185-12  | 1,587.04  | 100      |
| 25-12                     | DIN-25-12 | 128.80    | 200      | 185-14             | DIN-185-14  | 1,587.04  | 100      |
| 35-6                      | DIN-35-6  | 248.64    | 100      | 185-16             | DIN-185-16  | 1,587.04  | 100      |
| 35-8                      | DIN-35-8  | 248.64    | 100      | 185-20             | DIN-185-20  | 1,587.04  | 100      |
| 35-10                     | DIN-35-10 | 248.64    | 100      | 240-12             | DIN-240-12  | 2,618.56  | 60       |
| 35-12                     | DIN-35-12 | 248.64    | 100      | 240-14             | DIN-240-14  | 2,618.56  | 60       |
| 35-14                     | DIN-35-14 | 248.64    | 100      | 240-16             | DIN-240-16  | 2,618.56  | 60       |
| 50-8                      | DIN-50-8  | 369.60    | 100      | 240-20             | DIN-240-20  | 2,618.56  | 60       |
| 50-10                     | DIN-50-10 | 369.60    | 100      | 300-14             | DIN-300-14  | 3,270.40  | 40       |
| 50-12                     | DIN-50-12 | 369.60    | 100      | 300-16             | DIN-300-16  | 3,270.40  | 40       |
| 50-14                     | DIN-50-14 | 369.60    | 100      | 300-20             | DIN-300-20  | 3,270.40  | 40       |
| 50-16                     | DIN-50-16 | 369.60    | 100      | 400-14             | DIN-400-14  | 5,284.16  | 20       |
| 70-8                      | DIN-70-8  | 487.20    | 100      | 400-16             | DIN-400-16  | 5,284.16  | 20       |
| 70-10                     | DIN-70-10 | 487.20    | 100      | 400-20             | DIN-400-20  | 5,284.16  | 20       |
| 70-12                     | DIN-70-12 | 487.20    | 100      | 500-16             | DIN-500-16  | 7,618.24  | 20       |
| 70-14                     | DIN-70-14 | 487.20    | 100      | 500-20             | DIN-500-20  | 7,618.24  | 20       |
| 70-16                     | DIN-70-16 | 487.20    | 100      | 625-16             | DIN-625-16  | 7,618.24  | 15       |
| 95-8                      | DIN-95-8  | 712.32    | 100      | 625-20             | DIN-625-20  | 7,618.24  | 15       |
| 95-10                     | DIN-95-10 | 712.32    | 100      | 800-16             | DIN-800-16  | 13,609.12 | 15       |
| 95-12                     | DIN-95-12 | 712.32    | 100      | 800-20             | DIN-800-20  | 13,609.12 | 15       |
| 95-14                     | DIN-95-14 | 712.32    | 100      | 1000-21            | DIN-1000-21 | 17,143.84 | 10       |

| COPPER TUBE TERMINAL ICF SERIES |          |           |          |
|---------------------------------|----------|-----------|----------|
| mm <sup>2</sup> -E              | CAT. NO. | PRICE (₹) | STD PKG. |
| 17-5                            | CUS-106  | 54.88     | 100      |
| 17-10                           | CUS-109  | 62.72     | 800      |
| 23-8                            | CUS-148  | 85.12     | 200      |
| 23-10                           | CUS-108  | 109.76    | 800      |
| 29-8                            | CUS-150  | 145.60    | 200      |
| 29-10                           | CUS-151  | 150.08    | 200      |
| 29-13                           | CUS-111  | 146.72    | 100      |
| 45-8                            | CUS-153  | 198.24    | 200      |
| 45-10                           | CUS-154  | 198.24    | 200      |
| 45-10                           | CUS-113  | 198.24    | 200      |
| 57-10                           | CUS-156  | 337.12    | 100      |
| 57-13                           | CUS-157  | 337.12    | 100      |
| 75-10                           | CUS-159  | 435.68    | 100      |
| 90-10                           | CUS-162  | 524.16    | 100      |
| 110-10                          | CUS-165  | 624.96    | 50       |
| 110-13                          | CUS-166  | 624.96    | 50       |
| 146-13                          | CUS-168  | 950.88    | 100      |
| 146-17                          | CUS-169  | 950.88    | 60       |
| 225-13                          | CUS-172  | 1,444.80  | 20       |
| 299-13                          | CUS-140  | 2,001.44  | 60       |
| 366-17                          | CUS-177  | 2,776.48  | 20       |
| 437-13                          | CUS-142  | 3,771.04  | 40       |



### COPPER TUBE HEAVY DUTY IN-LINE CONNECTORS

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
|--------------------|----------|-----------|----------|
| 1.5                | EH-453   | 7.79      | 4000     |
| 1.5                | CB-41    | 7.79      | 4000     |
| 2.5                | EH-454   | 7.79      | 16000    |
| 4                  | CB-3     | 9.35      | 4000     |
| 4.6                | EH-455   | 14.03     | 4000     |
| 6                  | CB-4     | 10.91     | 4000     |
| 10                 | EH-460   | 15.58     | 3200     |
| 16                 | CB-6     | 17.14     | 3200     |
| 20                 | CB-47    | 26.49     | 4000     |
| 25                 | CB-24    | 41.44     | 1600     |
| 35                 | CB-25    | 73.92     | 800      |
| 50                 | CB-26    | 113.12    | 400      |
| 70                 | CB-27    | 213.92    | 200      |
| 70                 | CB-51    | 189.28    | 400      |
| 95                 | CB-28    | 301.28    | 200      |
| 95                 | CB-52    | 245.28    | 200      |
| 120                | CB-29    | 400.96    | 100      |
| 120                | CB-53    | 288.96    | 200      |
| 150                | CB-30    | 495.04    | 100      |
| 150                | CB-54    | 408.80    | 80       |
| 185                | CB-55    | 560.00    | 100      |
| 185                | CB-31    | 646.24    | 100      |
| 240                | CB-32    | 990.08    | 80       |
| 240                | CB-56    | 857.92    | 40       |
| 300                | CB-33    | 1,404.48  | 20       |
| 300                | CB-57    | 1,219.68  | 30       |
| 400                | CB-34    | 2,489.76  | 10       |
| 400                | CB-58    | 1,796.48  | 20       |
| 500                | CB-35    | 3,175.20  | 20       |
| 500                | CB-59    | 2,626.40  | 20       |
| 550                | CB-60    | 3,824.80  | 10       |
| 630                | CB-36    | 5,419.68  | 15       |
| 630                | CB-61    | 3,887.52  | 15       |
| 800                | CB-42    | 8,355.20  | 10       |
| 1000               | CB-43    | 9,732.80  | 10       |

### COPPER TUBE TERMINALS HEAVY DUTY IN-INSULATED CONNECTORS

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
|--------------------|----------|-----------|----------|
| 1.5                | EH-463   | 6.96      | 3200     |
| 2.5                | EH-464   | 8.35      | 3200     |
| 4-6                | EH-465   | 12.52     | 4000     |



### COPPER TUBE LIGHT DUTY IN-LINE CONNECTORS

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
|--------------------|----------|-----------|----------|--------------------|----------|-----------|----------|
| 2.5                | CB-23    | 9.35      | 4000     | 225                | CB-20    | 502.88    | 20       |
| 25                 | CB-7     | 41.44     | 400      | 240                | CB-15    | 525.28    | 20       |
| 35                 | CB-8     | 54.88     | 200      | 300                | CB-16    | 791.84    | 30       |
| 50                 | CB-9     | 81.76     | 100      | 400                | CB-17    | 1,200.64  | 20       |
| 70                 | CB-10    | 117.60    | 100      | 500                | CB-18    | 2,075.36  | 10       |
| 95                 | CB-11    | 165.76    | 50       | 630                | CB-19    | 2,143.68  | 10       |
| 120                | CB-12    | 226.24    | 160      | 800                | CB-21    | 4,004.00  | 15       |
| 150                | CB-13    | 288.96    | 60       | 1000               | CB-22    | 8,524.32  | 10       |
| 185                | CB-14    | 483.84    | 100      |                    |          |           |          |

# ALUMINIUM SERIES

Designed for excellent performance, Aluminium series products offers wide range of application requirements upto 36kV All the products are manufactured to precision with attention to detail offering competitive solutions.



ALUMINIUM TUBE TERMINALS

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
|--------------------|----------|-----------|----------|
| 2.5-3              | ALS-151  | 4.07      | 2400     |
| 2.5-3.5            | ALS-309  | 4.07      | 2400     |
| 4-4                | ALS-155  | 4.07      | 3200     |
| 4-5                | ALS-317  | 4.07      | 3200     |
| 6-5                | ALS-158  | 4.07      | 3200     |
| 6-6                | ALS-313  | 4.07      | 3200     |
| 10-4               | ALS-159  | 5.42      | 2400     |
| 10-6               | ALS-214  | 5.42      | 3200     |
| 10-8               | ALS-215  | 5.42      | 3200     |
| 16-6               | ALS-252  | 6.78      | 1600     |
| 16-8               | ALS-216  | 6.78      | 1600     |
| 16-10              | ALS-217  | 6.78      | 1600     |
| 25-6               | ALS-253  | 9.49      | 400      |
| 25-8               | ALS-218  | 9.49      | 800      |
| 25-10              | ALS-219  | 9.49      | 800      |
| 25-12              | ALS-220  | 9.49      | 800      |
| 35-6               | ALS-254  | 10.84     | 400      |
| 35-8               | ALS-221  | 10.84     | 800      |
| 35-10              | ALS-222  | 10.84     | 800      |
| 50-8               | ALS-255  | 16.26     | 400      |
| 50-10              | ALS-312  | 16.26     | 400      |
| 50-12              | ALS-224  | 16.26     | 400      |
| 70-8               | ALS-256  | 25.75     | 200      |
| 70-10              | ALS-225  | 25.75     | 200      |
| 70-12              | ALS-226  | 25.75     | 200      |
| 95-10              | ALS-227  | 34.72     | 200      |
| 95-12              | ALS-228  | 34.72     | 200      |
| 95-16              | ALS-229  | 34.72     | 200      |
| 120-10             | ALS-257  | 47.04     | 200      |
| 120-12             | ALS-230  | 47.04     | 200      |
| 120-16             | ALS-231  | 47.04     | 200      |
| 150-10             | ALS-258  | 61.60     | 160      |
| 150-12             | ALS-232  | 61.60     | 160      |
| 150-16             | ALS-233  | 61.60     | 160      |
| 185-10             | ALS-311  | 81.76     | 100      |
| 185-12             | ALS-234  | 81.76     | 100      |
| 185-16             | ALS-235  | 81.76     | 100      |
| 225-12             | ALS-320  | 117.60    | 100      |
| 240-12             | ALS-236  | 134.40    | 80       |
| 240-16             | ALS-237  | 134.40    | 80       |
| 300-16             | ALS-300  | 221.76    | 60       |
| 300-20             | ALS-259  | 221.76    | 60       |
| 400-20             | ALS-260  | 274.40    | 40       |
| 500-20             | ALS-296  | 430.08    | 20       |
| 630-20             | ALS-261  | 557.76    | 30       |
| 800                | ALS-318  | 882.56    | 20       |
| 1000               | ALS-319  | 1,286.88  | 10       |

ALUMINIUM TUBE TERMINALS LONG BARREL

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
|--------------------|----------|-----------|----------|
| 2.5-3              | ALS-551  | 5.42      | 2400     |
| 2.5-3.5            | ALS-509  | 5.42      | 4000     |
| 4-4                | ALS-555  | 5.42      | 1600     |
| 4-5                | ALS-517  | 5.42      | 3200     |
| 6-5                | ALS-558  | 5.42      | 3200     |
| 6-6                | ALS-513  | 5.42      | 3200     |
| 10-6               | ALS-514  | 6.78      | 3200     |
| 10-8               | ALS-515  | 6.78      | 1600     |
| 16-6               | ALS-552  | 8.13      | 1600     |
| 16-8               | ALS-516  | 8.13      | 1600     |
| 16-10              | ALS-617  | 8.13      | 800      |
| 25-8               | ALS-518  | 10.84     | 800      |
| 25-10              | ALS-519  | 10.84     | 800      |
| 25-12              | ALS-520  | 10.84     | 800      |
| 35-8               | ALS-521  | 13.55     | 400      |
| 35-10              | ALS-522  | 13.55     | 400      |
| 50-8               | ALS-655  | 20.33     | 400      |
| 50-10              | ALS-512  | 20.33     | 400      |
| 50-12              | ALS-524  | 20.33     | 400      |
| 70-8               | ALS-556  | 41.44     | 200      |
| 70-10              | ALS-525  | 41.44     | 200      |
| 70-12              | ALS-526  | 41.44     | 200      |
| 95-10              | ALS-527  | 42.56     | 200      |
| 95-12              | ALS-528  | 42.56     | 200      |
| 95-16              | ALS-529  | 42.56     | 200      |
| 120-10             | ALS-557  | 61.60     | 160      |
| 120-12             | ALS-530  | 61.60     | 160      |
| 120-16             | ALS-531  | 61.60     | 160      |
| 150-10             | ALS-658  | 76.16     | 100      |
| 150-12             | ALS-532  | 76.16     | 100      |
| 150-16             | ALS-533  | 76.16     | 100      |
| 185-10             | ALS-511  | 100.80    | 100      |
| 185-12             | ALS-534  | 100.80    | 100      |
| 185-16             | ALS-535  | 100.80    | 100      |
| 225-12             | ALS-620  | 144.48    | 80       |
| 240-12             | ALS-536  | 163.52    | 60       |
| 240-16             | ALS-537  | 163.52    | 60       |
| 300-16             | ALS-500  | 237.44    | 40       |
| 300-20             | ALS-559  | 237.44    | 40       |
| 400-20             | ALS-560  | 341.60    | 40       |
| 500-20             | ALS-596  | 546.56    | 20       |
| 630-20             | ALS-561  | 708.96    | 20       |
| 800                | ALS-618  | 1,060.64  | 10       |
| 1000               | ALS-619  | 1,589.28  | 8        |

ALUMINIUM TERMINALS FOR AL. XLPE INSULATED CONDUCTORS

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
|--------------------|----------|-----------|----------|
| 25-8               | ALS-XL17 | 15.99     | 200      |
| 35-8               | ALS-XL18 | 24.39     | 200      |
| 50-10              | ALS-XL19 | 38.08     | 200      |
| 70-10              | ALS-XL20 | 51.52     | 200      |
| 95-12              | ALS-XL21 | 76.16     | 160      |
| 120-12             | ALS-XL22 | 96.32     | 100      |
| 150-12             | ALS-XL23 | 138.88    | 80       |
| 185-12             | ALS-XL24 | 183.68    | 60       |
| 225-12             | ALS-XL25 | 244.16    | 60       |
| 240-12             | ALS-XL26 | 266.56    | 60       |
| 300-20             | ALS-XL27 | 352.80    | 50       |
| 400-20             | ALS-XL28 | 406.56    | 30       |
| 500-20             | ALS-XL29 | 545.44    | 20       |
| 630-20             | ALS-XL30 | 1,128.96  | 10       |
| 800-20             | ALS-XL31 | 1,403.36  | 10       |
| 1000-20            | ALS-XL32 | 1,942.08  | 10       |



ALUMINIUM TUBE TERMINALS TWO HOLES

| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
|--------------------|----------|-----------|----------|
| 150                | ALS-701  | 115.36    | 60       |
| 240                | ALS-702  | 206.08    | 40       |
| 300                | ALS-703  | 314.72    | 30       |
| 630                | ALS-706  | 831.04    | 15       |
| 300                | ALS-704  | 314.72    | 30       |
| 300                | ALS-705  | 314.72    | 30       |



| ALUMINIUM REDUCER TERMINALS |          |           |          |
|-----------------------------|----------|-----------|----------|
| mm <sup>2</sup> -E          | CAT. NO. | PRICE (₹) | STD PKG. |
| 2.5                         | AWP-01   | 14.91     | 2400     |
| 2.5                         | AWP-07   | 14.91     | 2400     |
| 4                           | AWP-15   | 14.91     | 2400     |
| 4                           | AWP-16   | 14.91     | 2400     |
| 6                           | AWP-17   | 14.91     | 1600     |
| 6                           | AWP-18   | 14.91     | 3200     |
| 10                          | AWP-19   | 16.26     | 1600     |
| 10                          | AWP-20   | 16.26     | 3200     |
| 10                          | AWP-21   | 16.26     | 1600     |
| 10                          | AWP-22   | 16.26     | 3200     |
| 16                          | AWP-23   | 21.68     | 1600     |
| 16                          | AWP-24   | 21.68     | 1600     |
| 16                          | AWP-02   | 21.68     | 3200     |
| 25                          | AWP-25   | 30.24     | 1600     |
| 25                          | AWP-03   | 30.24     | 800      |
| 35                          | AWP-04   | 33.60     | 800      |
| 50                          | AWP-26   | 61.60     | 800      |
| 50                          | AWP-05   | 61.60     | 200      |
| 70                          | AWP-27   | 82.88     | 400      |
| 70                          | AWP-06   | 82.88     | 200      |
| 70                          | AWP-28   | 108.64    | 100      |
| 95                          | AWP-29   | 112.00    | 400      |
| 95                          | AWP-08   | 159.04    | 100      |
| 95                          | AWP-31   | 112.00    | 160      |
| 95                          | AWP-32   | 159.04    | 80       |
| 120                         | AWP-33   | 135.52    | 60       |
| 120                         | AWP-34   | 135.52    | 60       |
| 120                         | AWP-35   | 159.04    | 120      |
| 120                         | AWP-36   | 210.56    | 60       |
| 150                         | AWP-10   | 250.88    | 40       |
| 150                         | AWP-37   | 197.12    | 160      |
| 185                         | AWP-30   | 321.44    | 40       |
| 185                         | AWP-38   | 260.96    | 160      |
| 225                         | AWP-39   | 369.6     | 30       |
| 225                         | AWP-46   | 558.88    | 30       |
| 225                         | AWP-42   | 488.32    | 30       |
| 240                         | AWP-44   | 508.48    | 120      |
| 240                         | AWP-43   | 448.00    | 80       |
| 300                         | AWP-45   | 556.64    | 80       |
| 300                         | AWP-47   | 508.48    | 20       |

| ALUMINIUM IN LINE CONNECTORS |          |           |          |
|------------------------------|----------|-----------|----------|
| mm <sup>2</sup> -E           | CAT. NO. | PRICE (₹) | STD PKG. |
| 2.5                          | ALS-145  | 2.71      | 2400     |
| 2.5                          | ALS-6    | 2.71      | 400      |
| 4                            | ALS-5    | 2.71      | 4000     |
| 6                            | ALS-13   | 2.71      | 3200     |
| 10                           | ALS-14   | 4.07      | 3200     |
| 10                           | ALS-146  | 4.07      | 1600     |
| 16                           | ALS-4    | 5.42      | 3200     |
| 25                           | ALS-3    | 8.13      | 800      |
| 35                           | ALS-2    | 9.49      | 800      |
| 50                           | ALS-12   | 17.62     | 1600     |
| 70                           | ALS-1    | 29.12     | 200      |
| 95                           | ALS-15   | 33.6      | 200      |
| 120                          | ALS-9    | 47.04     | 3200     |
| 150                          | ALS-10   | 56.00     | 100      |
| 185                          | ALS-11   | 70.56     | 100      |
| 225                          | ALS-147  | 108.64    | 80       |
| 240                          | ALS-16   | 110.88    | 60       |
| 300                          | ALS-17   | 163.52    | 40       |
| 400                          | ALS-18   | 246.40    | 40       |
| 500                          | ALS-19   | 393.12    | 20       |
| 630                          | ALS-20   | 505.12    | 20       |
| 800                          | ALS-148  | 700.00    | 10       |
| 1000                         | ALS-149  | 1,167.04  | 8        |



| ALUMINIUM IN LINE CONNECTORS FOR AL XLPE INSULATED CONDUCTORS |          |           |          |
|---------------------------------------------------------------|----------|-----------|----------|
| mm <sup>2</sup> -E                                            | CAT. NO. | PRICE (₹) | STD PKG. |
| 25                                                            | ALS-XL01 | 14.91     | 200      |
| 35                                                            | ALS-XL02 | 23.04     | 200      |
| 50                                                            | ALS-XL03 | 35.84     | 200      |
| 70                                                            | ALS-XL04 | 49.28     | 200      |
| 95                                                            | ALS-XL05 | 68.32     | 100      |
| 120                                                           | ALS-XL06 | 86.24     | 100      |
| 150                                                           | ALS-XL07 | 114.24    | 40       |
| 185                                                           | ALS-XL08 | 171.36    | 40       |
| 225                                                           | ALS-XL09 | 225.12    | 60       |
| 240                                                           | ALS-XL10 | 238.56    | 60       |
| 300                                                           | ALS-XL11 | 311.36    | 60       |
| 400                                                           | ALS-XL12 | 369.6     | 40       |
| 500                                                           | ALS-XL13 | 465.92    | 30       |
| 630                                                           | ALS-XL14 | 854.56    | 15       |
| 800                                                           | ALS-XL15 | 1,170.40  | 15       |
| 1000                                                          | ALS-XL16 | 1,610.56  | 10       |

# BI-METALLIC SERIES

Designed for Excellent and rugged performance to meet the installation requirements for power generation via renewable sources. The connectors are time tested and proven to offer most reliable connections upto 36kV.



| BI-METALLIC CONNECTORS (FRICTION WELDED) |              |           |          |
|------------------------------------------|--------------|-----------|----------|
| Dowell's Cat. No.                        | Size (Sq.mm) | PRICE (₹) | STD PKG. |

|              |         |          |     |
|--------------|---------|----------|-----|
| CACF-16-16   | 16-16   | 367.36   | 200 |
| CACF-25-16   | 25-16   | 367.36   | 200 |
| CACF-25-25   | 25-25   | 367.36   | 200 |
| CACF-35-16   | 35-16   | 367.36   | 200 |
| CACF-35-25   | 35-25   | 360.64   | 200 |
| CACF-35-35   | 35-35   | 356.16   | 200 |
| CACF-50-25   | 50-25   | 451.36   | 160 |
| CACF-50-35   | 50-35   | 451.36   | 200 |
| CACF-50-50   | 50-50   | 439.04   | 160 |
| CACF-70-35   | 70-35   | 446.88   | 200 |
| CACF-70-50   | 70-50   | 437.92   | 200 |
| CACF-70-70   | 70-70   | 420.00   | 100 |
| CACF-95-50   | 95-50   | 558.88   | 160 |
| CACF-95-70   | 95-75   | 543.2    | 160 |
| CACF-95-95   | 95-95   | 539.84   | 160 |
| CACF-120-70  | 120-70  | 939.68   | 50  |
| CACF-120-95  | 120-95  | 924.00   | 80  |
| CACF-120-120 | 120-120 | 901.60   | 80  |
| CACF-150-95  | 150-95  | 917.28   | 40  |
| CACF-150-120 | 150-120 | 897.12   | 80  |
| CACF-150-150 | 150-150 | 862.4    | 80  |
| CACF-185-120 | 185-120 | 959.84   | 40  |
| CACF-185-150 | 185-150 | 930.72   | 40  |
| CACF-185-185 | 185-185 | 1,216.32 | 10  |
| CACF-240-150 | 240-150 | 1,042.72 | 40  |
| CACF-240-185 | 240-185 | 1,187.20 | 40  |
| CACF-240-240 | 240-240 | 1,134.56 | 40  |

| BI-METALLIC TERMINALS (FRICTION WELDED) |              |           |          |
|-----------------------------------------|--------------|-----------|----------|
| Dowell's Cat. No.                       | Size (Sq.mm) | PRICE (₹) | STD PKG. |

|            |     |          |     |
|------------|-----|----------|-----|
| CAF-25-10  | 25  | 356.16   | 400 |
| CAF-35-10  | 35  | 360.64   | 400 |
| CAF-50-13  | 50  | 491.68   | 200 |
| CAF-70-13  | 70  | 576.8    | 200 |
| CAF-95-13  | 95  | 585.76   | 100 |
| CAF-120-13 | 120 | 672.00   | 80  |
| CAF-150-13 | 150 | 741.44   | 80  |
| CAF-185-13 | 185 | 1,243.20 | 40  |
| CAF-240-13 | 240 | 1,272.32 | 40  |
| CAF-300-17 | 300 | 1,650.88 | 40  |
| CAF-400-17 | 400 | 2,056.32 | 40  |
| CAF-500    | 500 | 4,258.24 | 12  |
| CAF-630    | 630 | 4,958.24 | 12  |



| ALUMINIUM ALLOY TUBULAR BI-METALLIC TERMINALS |          |           |          |                    |          |           |          |
|-----------------------------------------------|----------|-----------|----------|--------------------|----------|-----------|----------|
| mm <sup>2</sup> -E                            | CAT. NO. | PRICE (₹) | STD PKG. | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |

|        |       |       |      |         |       |          |     |
|--------|-------|-------|------|---------|-------|----------|-----|
| 10-8   | BL-02 | 5.96  | 3200 | 150-12  | BL-17 | 69.44    | 160 |
| 16-6   | BL-03 | 8.13  | 1600 | 150-16  | BL-18 | 69.44    | 160 |
| 16-8   | BL-04 | 8.13  | 1600 | 185-12  | BL-19 | 89.60    | 100 |
| 25-8   | BL-05 | 10.84 | 800  | 185-16  | BL-20 | 89.60    | 100 |
| 25-10  | BL-06 | 10.84 | 800  | 225-12  | BL-21 | 127.68   | 100 |
| 35-8   | BL-07 | 13.55 | 800  | 240-12  | BL-22 | 147.84   | 80  |
| 35-10  | BL-08 | 13.55 | 800  | 240-16  | BL-23 | 147.84   | 80  |
| 50-8   | BL-09 | 23.04 | 400  | 300-16  | BL-24 | 244.16   | 60  |
| 50-10  | BL-10 | 23.04 | 400  | 300-20  | BL-25 | 244.16   | 60  |
| 70-10  | BL-11 | 34.72 | 200  | 400-20  | BL-26 | 301.28   | 40  |
| 70-12  | BL-12 | 34.72 | 200  | 500-20  | BL-27 | 474.88   | 20  |
| 95-10  | BL-13 | 38.08 | 200  | 630-20  | BL-28 | 612.64   | 30  |
| 95-12  | BL-14 | 38.08 | 200  | 800-20  | BL-29 | 971.04   | 20  |
| 120-10 | BL-15 | 51.52 | 200  | 1000-20 | BL-30 | 1,416.80 | 10  |
| 120-12 | BL-16 | 51.52 | 200  |         |       |          |     |

# COPPER RING, PIN AND FORK TERMINALS



| PIN TERMINAL NON-INSULATED |          |           |          |                    |          |           |          |
|----------------------------|----------|-----------|----------|--------------------|----------|-----------|----------|
| mm <sup>2</sup> -E         | CAT. NO. | PRICE (₹) | STD PKG. | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
| 0.75                       | CP-59    | 4.18      | 8000     | 4                  | CP-3     | 7.89      | 16000    |
| 1                          | CP-44    | 4.18      | 8000     | 6                  | CP-5     | 7.89      | 10000    |
| 1.5                        | CP-9     | 4.18      | 16000    | 10                 | CP-7     | 12.35     | 6400     |
| 1.5                        | CP-35    | 4.63      | 8000     | 16                 | CP-8     | 24.4      | 3200     |
| 2.5                        | CP-1     | 4.18      | 16000    | 50                 | CP-88    | 91.84     | 400      |
| 2.5                        | CP-2     | 4.18      | 8000     | 70                 | CP-89    | 124.32    | 200      |
| 25                         | CP-86    | 45.92     | 1600     | 95                 | CP-90    | 162.40    | 200      |
| 35                         | CP-87    | 60.48     | 800      |                    |          |           |          |

| RING TERMINALS NON-INSULATED |          |           |          |                    |          |           |          |
|------------------------------|----------|-----------|----------|--------------------|----------|-----------|----------|
| mm <sup>2</sup> -E           | CAT. NO. | PRICE (₹) | STD PKG. | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
| 0.75-4                       | RS-7317  | 3.88      | 16000    | 10-5               | RS-7026  | 10.58     | 3200     |
| 1-3.5                        | RS-7318  | 3.88      | 16000    | 10-6               | RS-7120  | 11.46     | 6400     |
| 1.5-3                        | RS-7001  | 4.18      | 8000     | 10-8               | RS-7121  | 14.57     | 3200     |
| 1.5-3.5                      | RS-7002  | 4.18      | 8000     | 10-10              | RS-7027  | 19.63     | 3200     |
| 1.5-3.5                      | RS-7048  | 4.18      | 8000     | 10-10              | RS-7123  | 21.14     | 3200     |
| 1.5-4                        | RS-7003  | 4.18      | 16000    | 10-12              | RS-7028  | 20.08     | 3200     |
| 1.5-4                        | RS-7049  | 4.18      | 8000     | 16-5               | RS-7124  | 18.16     | 3200     |
| 1.5-4                        | RS-7004  | 4.32      | 16000    | 16-6               | RS-7029  | 19.63     | 3200     |
| 1.5-4                        | RS-7154  | 4.47      | 8000     | 16-6               | RS-7031  | 26.62     | 1600     |
| 1.5-5                        | RS-7005  | 4.32      | 16000    | 16-8               | RS-7030  | 24.40     | 3200     |
| 1.5-5                        | RS-7006  | 5.22      | 8000     | 16-10              | RS-7032  | 30.24     | 3200     |
| 1.5-6                        | RS-7007  | 5.22      | 8000     | 16-10              | RS-7128  | 31.36     | 1600     |
| 1.5-6                        | RS-7106  | 5.36      | 8000     | 16-12              | RS-7033  | 29.12     | 1600     |
| 2.5-3                        | RS-7107  | 4.77      | 8000     | 25-6               | RS-7156  | 43.68     | 800      |
| 2.5-3.5                      | RS-7008  | 5.22      | 8000     | 25-8               | RS-7034  | 45.92     | 1600     |
| 2.5-3.5                      | RS-7108  | 5.22      | 8000     | 25-8               | RS-7036  | 50.40     | 1600     |
| 2.5-4                        | RS-7009  | 4.47      | 16000    | 25-10              | RS-7035  | 43.68     | 800      |
| 2.5-5                        | RS-7010  | 4.47      | 16000    | 25-10              | RS-7132  | 63.84     | 800      |
| 2.5-5                        | RS-7109  | 4.47      | 8000     | 25-12              | RS-7037  | 63.84     | 800      |
| 2.5-5                        | RS-7110  | 6.26      | 2400     | 35-6               | RS-7133  | 52.64     | 800      |
| 2.5-6                        | RS-7011  | 4.47      | 16000    | 35-8               | RS-7038  | 57.12     | 1600     |
| 2.5-6                        | RS-7012  | 6.26      | 4000     | 35-10              | RS-7135  | 71.68     | 800      |
| 2.5-8                        | RS-7013  | 7.29      | 4000     | 35-12              | RS-7040  | 67.20     | 800      |
| 2.5-8                        | RS-7014  | 8.78      | 6400     | 50-8               | RS-7136  | 80.64     | 800      |
| 2.5-10                       | RS-7015  | 10.28     | 6400     | 50-10              | RS-7137  | 87.36     | 800      |
| 2.5-10                       | RS-7151  | 10.28     | 6400     | 50-12              | RS-7042  | 94.08     | 400      |
| 4.6-4                        | RS-7155  | 8.03      | 10000    | 50-16              | RS-7139  | 117.60    | 400      |
| 4.6-5                        | RS-7050  | 8.03      | 10000    | 70-10              | RS-7140  | 118.72    | 400      |
| 4.6-5                        | RS-7016  | 9.53      | 10000    | 70-12              | RS-7141  | 120.96    | 400      |
| 4.6-6                        | RS-7017  | 8.19      | 10000    | 70-16              | RS-7142  | 141.12    | 400      |
| 4.6-6                        | RS-7019  | 10.87     | 6400     | 95-10              | RS-7144  | 171.36    | 400      |
| 4.6-6                        | RS-7115  | 11.91     | 6400     | 95-12              | RS-7044  | 164.64    | 400      |
| 4.6-8                        | RS-7018  | 9.53      | 4000     | 95-16              | RS-7145  | 187.04    | 400      |
| 4.6-8                        | RS-7020  | 12.64     | 6400     | 120-12             | RS-7146  | 212.80    | 160      |
| 4.6-8                        | RS-7116  | 15.63     | 3200     | 120-16             | RS-7147  | 264.32    | 240      |
| 4.6-10                       | RS-7022  | 15.63     | 3200     | 120-20             | RS-7148  | 303.52    | 240      |
| 4.6-10                       | RS-7023  | 13.98     | 3200     | 150-12             | RS-7149  | 452.48    | 160      |
| 4.6-12                       | RS-7024  | 13.98     | 3200     | 150-16             | RS-7045  | 445.76    | 160      |
| 10-5                         | RS-7025  | 11.76     | 3200     | 150-20             | RS-7046  | 497.28    | 160      |



| PIN TERMINAL (INSULATED) |          |           |          |                    |          |           |          |
|--------------------------|----------|-----------|----------|--------------------|----------|-----------|----------|
| mm <sup>2</sup> -E       | CAT. NO. | PRICE (₹) | STD PKG. | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
| 0.75                     | CPI-60   | 4.62      | 16000    | 4                  | CPI-20   | 9.38      | 3200     |
| 1                        | CPI-45   | 4.62      | 4000     | 4                  | CPI-21   | 12.35     | 1600     |
| 1.5                      | CPI-17   | 4.62      | 10000    | 6                  | CPI-22   | 13.54     | 3200     |
| 1.5                      | CPI-40   | 5.22      | 4000     | 6                  | CPI-23   | 14.28     | 800      |
| 2.5                      | CPI-18   | 4.77      | 10000    | 10                 | CPI-24   | 16.52     | 1600     |
| 2.5                      | CPI-19   | 4.77      | 4000     | 16                 | CPI-25   | 31.36     | 1600     |



| PIN TERMINAL DOUBLE GRIP (PRE-INSULATED) |          |           |          |                    |          |           |          |
|------------------------------------------|----------|-----------|----------|--------------------|----------|-----------|----------|
| mm <sup>2</sup> -E                       | CAT. NO. | PRICE (₹) | STD PKG. | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
| 1.5                                      | CPD-26   | 6.26      | 10000    | 2.5                | CPD-28   | 6.55      | 4000     |
| 2.5                                      | CPD-27   | 6.55      | 10000    | 4                  | CPD-29   | 11.31     | 1600     |



| RING TERMINALS INSULATED |          |           |          |                    |          |           |          |
|--------------------------|----------|-----------|----------|--------------------|----------|-----------|----------|
| mm <sup>2</sup> -E       | CAT. NO. | PRICE (₹) | STD PKG. | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
| 0.75-4                   | RSI-7501 | 4.47      | 4000     | 2.5-5              | RSI-7073 | 6.55      | 6400     |
| 1-4                      | RSI-7502 | 4.47      | 4000     | 2.5-5              | RSI-7075 | 8.94      | 6400     |
| 1.5-3                    | RSI-7054 | 6.26      | 4000     | 2.5-6              | RSI-7074 | 6.55      | 6400     |
| 1.5-3.5                  | RSI-7055 | 6.26      | 10000    | 2.5-6              | RSI-7076 | 7.89      | 6400     |
| 1.5-3.5                  | RSI-7058 | 6.40      | 2400     | 2.5-8              | RSI-7077 | 8.03      | 6400     |
| 1.5-4                    | RSI-7056 | 6.26      | 10000    | 2.5-8              | RSI-7079 | 9.53      | 3200     |
| 1.5-4                    | RSI-7059 | 6.40      | 2400     | 2.5-10             | RSI-7081 | 11.31     | 800      |
| 1.5-4                    | RSI-7061 | 4.77      | 10000    | 4.6-4              | RSI-7083 | 9.53      | 3200     |
| 1.5-4                    | RSI-7063 | 6.26      | 4000     | 4.6-5              | RSI-7084 | 9.53      | 3200     |
| 1.5-5                    | RSI-7062 | 4.77      | 10000    | 4.6-5              | RSI-7086 | 11.31     | 3200     |
| 1.5-5                    | RSI-7065 | 7.59      | 4000     | 4.6-6              | RSI-7089 | 10.87     | 3200     |
| 1.5-5                    | RSI-7066 | 7.29      | 4000     | 4.6-6              | RSI-7092 | 12.64     | 3200     |
| 1.5-6                    | RSI-7067 | 7.59      | 4000     | 4.6-6              | RSI-7093 | 13.68     | 3200     |
| 2.5-3                    | RSI-7068 | 6.40      | 4000     | 4.6-8              | RSI-7090 | 11.31     | 1600     |
| 2.5-3.5                  | RSI-7069 | 6.40      | 4000     | 4.6-8              | RSI-7094 | 13.68     | 3200     |
| 2.5-3.5                  | RSI-7070 | 7.29      | 2400     | 4.6-8              | RSI-7096 | 16.52     | 1600     |
| 2.5-4                    | RSI-7071 | 6.26      | 10000    | 4.6-10             | RSI-7099 | 15.63     | 1600     |
| 2.5-5                    | RSI-7072 | 6.26      | 10000    | 4.6-12             | RSI-7100 | 15.63     | 1600     |



| RING TERMINALS DOUBLE GRIP (PRE-INSULATED) |          |           |          |                    |          |           |          |
|--------------------------------------------|----------|-----------|----------|--------------------|----------|-----------|----------|
| mm <sup>2</sup> -E                         | CAT. NO. | PRICE (₹) | STD PKG. | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
| 1.5-3                                      | PSD-7437 | 6.55      | 2400     | 2.5-6              | PSD-7457 | 6.85      | 4000     |
| 1.5-3.5                                    | PSD-7438 | 6.55      | 2400     | 2.5-5              | PSD-7458 | 9.53      | 2400     |
| 1.5-4                                      | PSD-7439 | 6.55      | 2400     | 2.5-6              | PSD-7459 | 8.78      | 3200     |
| 1.5-3.5                                    | PSD-7441 | 6.55      | 2400     | 2.5-8              | PSD-7460 | 9.53      | 1600     |
| 1.5-4                                      | PSD-7442 | 6.55      | 2400     | 2.5-8              | PSD-7462 | 11.31     | 1600     |
| 1.5-4                                      | PSD-7444 | 6.40      | 4000     | 2.5-10             | PSD-7464 | 12.64     | 1600     |
| 1.5-5                                      | PSD-7445 | 6.40      | 4000     | 4.6-4              | PSD-7466 | 11.91     | 800      |
| 1.5-4                                      | PSD-7446 | 7.44      | 2400     | 4.6-5              | PSD-7467 | 11.91     | 1600     |
| 1.5-5                                      | PSD-7448 | 7.89      | 4000     | 4.6-5              | PSD-7469 | 13.54     | 1600     |
| 1.5-6                                      | PSD-7449 | 7.89      | 4000     | 4.6-6              | PSD-7472 | 12.35     | 3200     |
| 1.5-6                                      | PSD-7450 | 8.19      | 2400     | 4.6-8              | PSD-7473 | 13.39     | 800      |
| 2.5-3                                      | PSD-7451 | 7.89      | 2400     | 4.6-6              | PSD-7475 | 14.73     | 400      |
| 2.5-3.5                                    | PSD-7452 | 7.89      | 2400     | 4.6-6              | PSD-7476 | 16.52     | 800      |
| 2.5-3.5                                    | PSD-7453 | 8.03      | 2400     | 4.6-8              | PSD-7477 | 16.52     | 800      |
| 2.5-4                                      | PSD-7454 | 6.85      | 10000    | 4.6-8              | PSD-7479 | 18.16     | 400      |
| 2.5-5                                      | PSD-7455 | 6.85      | 10000    | 4.6-8              | PSD-7482 | 19.63     | 400      |
| 2.5-5                                      | PSD-7456 | 6.85      | 4000     | 4.6-12             | PSD-7483 | 18.16     | 400      |



| FORK TERMINALS NON-INSULATED |            |           |          |                    |          |           |          |
|------------------------------|------------|-----------|----------|--------------------|----------|-----------|----------|
| mm <sup>2</sup> -E           | CAT. NO.   | PRICE (₹) | STD PKG. | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
| 1-3                          | RS-7249SPL | 3.73      | 16000    | 2.5-5              | RS-7280  | 10.72     | 4000     |
| 1.5-3.5                      | RS-7249    | 3.73      | 16000    | 4.6-3              | RS-7252  | 6.55      | 16000    |
| 2.5-3.5                      | RS-7251    | 4.02      | 16000    | 4.6-3.5            | RS-7253  | 6.55      | 8000     |





| FORK TERMINALS INSULATED |             |           |          |                    |          |           |          |
|--------------------------|-------------|-----------|----------|--------------------|----------|-----------|----------|
| mm <sup>2</sup> -E       | CAT. NO.    | PRICE (₹) | STD PKG. | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
| 1-3                      | RSI-7926SPL | 4.47      | 4000     | 2.5-5              | RSI-7929 | 12.21     | 1600     |
| 1.5-3.5                  | RSI-7926    | 4.47      | 4000     | 4.6-3              | RSI-7930 | 8.78      | 3200     |
| 2.5-3.5                  | RSI-7928    | 5.22      | 10000    | 4.6-3.5            | RSI-7931 | 8.78      | 3200     |

| FORK TERMINALS DOUBLE GRIP (PRE INSULATED) |          |           |          |                    |          |           |          |
|--------------------------------------------|----------|-----------|----------|--------------------|----------|-----------|----------|
| mm <sup>2</sup> -E                         | CAT. NO. | PRICE (₹) | STD PKG. | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
| 1.5-3.5                                    | PSD-7935 | 6.10      | 4000     | 4.6-3              | PSD-7939 | 10.87     | 1600     |
| 2.5-3.5                                    | PSD-7937 | 6.55      | 4000     | 4.6-3.5            | PSD-7940 | 10.87     | 1600     |
| 2.5-5                                      | PSD-7938 | 15.63     | 800      |                    |          |           |          |



| SNAP ON TERMINALS  |          |           |          |                    |          |           |          |
|--------------------|----------|-----------|----------|--------------------|----------|-----------|----------|
| mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
| 1.5                | SNP-8351 | 6.07      | 2000     | 1.5                | SND-8359 | 7.59      | 2000     |
| 1.5                | SND-8352 | 6.07      | 2000     | 1.5                | SND-8362 | 9.11      | 2000     |
| 2.5                | SNP-8347 | 6.07      | 4000     | 1.5                | SNP-8336 | 6.07      | 2000     |
| 2.5                | SND-8348 | 7.59      | 5000     | 1.5                | SNP-8356 | 6.07      | 2000     |
| 4                  | SND-8476 | 12.14     | 5000     | 1.5                | SNP-8358 | 6.07      | 2000     |



| END SEALING FERRULES NON-INSULATED |          |           |          |                    |          |           |          |
|------------------------------------|----------|-----------|----------|--------------------|----------|-----------|----------|
| mm <sup>2</sup> -E                 | CAT. NO. | PRICE (₹) | STD PKG. | mm <sup>2</sup> -E | CAT. NO. | PRICE (₹) | STD PKG. |
| 0.5-6                              | EH-508   | 1.56      | 20000    | 6-10               | EH-518   | 3.12      | 10000    |
| 0.75-6                             | EH-509   | 1.56      | 20000    | 6-12               | EH-519   | 3.12      | 10000    |
| 1-6                                | EH-510   | 1.56      | 20000    | 6-15               | EH-520   | 4.68      | 10000    |
| 1-10                               | EH-511   | 1.56      | 20000    | 10-12              | EH-521   | 4.68      | 2500     |
| 1.5-7                              | EH-512   | 1.56      | 20000    | 10-15              | EH-522   | 5.26      | 2500     |
| 1.5-10                             | EH-513   | 1.56      | 20000    | 10-18              | EH-523   | 7.79      | 2500     |
| 2.5-7                              | EH-514   | 1.56      | 20000    | 16-12              | EH-524   | 4.68      | 2500     |
| 2.5-12                             | EH-515   | 1.56      | 20000    | 16-15              | EH-525   | 6.14      | 2000     |
| 4-9                                | EH-516   | 1.56      | 16000    | 16-18              | EH-526   | 7.79      | 2000     |
| 4-12                               | EH-517   | 3.12      | 16000    |                    |          |           |          |

| COPPER TWIN TYPE LUGS |           |            |                |           |          |
|-----------------------|-----------|------------|----------------|-----------|----------|
| mm <sup>2</sup> -E    | LENGTH mm | CAT. NO.   | COLOUR NATURAL | PRICE (₹) | STD PKG. |
| 0.5-8                 | 8         | TW-0.5-8   | WHITE          | 3.12      | 8000     |
| 0.5-10                | 10        | TW-0.5-10  | WHITE          | 3.12      | 8000     |
| 0.75-8                | 8         | TW-0.75-8  | GREY           | 3.12      | 4000     |
| 0.75-10               | 10        | TW-0.75-10 | GREY           | 4.68      | 4000     |
| 1-8                   | 8         | TW-1-8     | RED            | 4.68      | 8000     |
| 1-10                  | 10        | TW-1-10    | RED            | 4.68      | 8000     |
| 1.5-8                 | 8         | TW-1.5-8   | BLACK          | 4.68      | 8000     |
| 1.5-10                | 10        | TW-1.5-10  | BLACK          | 4.68      | 8000     |
| 2.5-8                 | 8         | TW-2.5-8   | BLUE           | 4.68      | 8000     |
| 2.5-10                | 10        | TW-2.5-10  | BLUE           | 6.23      | 8000     |
| 4-12                  | 12        | TW-4-12    | GREY           | 7.79      | 4000     |
| 6-12                  | 12        | TW-6-12    | YELLOW         | 9.35      | 4000     |



| END SEALING FERRULES INSULATED |          |           |          |
|--------------------------------|----------|-----------|----------|
| mm <sup>2</sup> -E             | CAT. NO. | PRICE (₹) | STD PKG. |
| 0.5-8                          | EH-508   | 1.56      | 40000    |
| 0.75-8                         | EH-509   | 1.56      | 40000    |
| 1-6                            | EH-510   | 3.12      | 20000    |
| 1-10                           | EH-511   | 3.12      | 25000    |
| 1.5-10                         | EH-513   | 3.12      | 25000    |
| 2.5-8                          | EH-514   | 3.12      | 15000    |
| 2.5-12                         | EH-515   | 3.12      | 16000    |
| 4-12                           | EH-517   | 4.68      | 8000     |
| 6-12                           | EH-519   | 4.68      | 8000     |
| 10-12                          | EH-521   | 6.23      | 2000     |
| 16-15                          | EH-525   | 7.79      | 1000     |



# CABLE GLANDS



## DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF BRASS CABLE GLANDS

|                            |                  | WEATHER PROOF    |           |         | FLAME PROOF      |           |         |
|----------------------------|------------------|------------------|-----------|---------|------------------|-----------|---------|
| SUITABLE OVER ALL DIAMETER | NIPPLE ET THREAD | DOWELLS CAT. NO. | PRICE (₹) | BOX PKG | DOWELLS CAT. NO. | PRICE (₹) | BOX PKG |
| 6.0-12.0                   | 3/4"             | DBW-01SS         | 433.44    | 224     | DBF-01SS         | 558.88    | 200     |
| 12.0-16.5                  | 3/4"             | DBW-01S          | 521.92    | 168     | DBF-01S          | 601.44    | 200     |
| 16.5-18.5                  | 3/4"             | DBW-01           | 583.52    | 144     | DBF-01           | 664.16    | 96      |
| 16.5-18.5                  | 1"               | DBW-01A          | 667.52    | 120     | DBF-01A          | 788.48    | 96      |
| 18.5-20.0                  | 1"               | DBW-02           | 747.04    | 80      | DBF-02           | 872.48    | 80      |
| 18.5-20.0                  | 3/4"             | DBW-02A          | 747.04    | 80      | DBF-02A          | 918.40    | 80      |
| 20.0-23.0                  | 1"               | DBW-03           | 756.00    | 80      | DBF-03           | 986.72    | 80      |
| 23.0-26.0                  | 1"               | DBW-04           | 1033.76   | 48      | DBF-04           | 1,253.28  | 48      |
| 23.0-26.0                  | 1.1/4"           | DBW-04A          | 1109.92   | 48      | DBF-04A          | 1,400.00  | 48      |
| 26.0-30.0                  | 1.1/4"           | DBW-05           | 1,294.72  | 48      | DBF-05           | 1,456.00  | 48      |
| 26.0-30.0                  | 1.1/2"           | DBW-05A          | 1,548.96  | 48      | DBF-05A          | 1,768.48  | 48      |
| 30.0-33.0                  | 1.1/2"           | DBW-06           | 1,860.32  | 40      | DBF-06           | 2,180.64  | 32      |
| 30.0-33.0                  | 1.1/4"           | DBW-06A          | 1,924.16  | 32      | DBF-06A          | 2,280.32  | 32      |
| 33.0-37.0                  | 1.1/2"           | DBW-07           | 2,173.92  | 24      | DBF-07           | 2,452.80  | 24      |
| 37.0-41.0                  | 2"               | DBW-08           | 2,788.80  | 24      | DBF-08           | 3,039.68  | 24      |
| 41.0-46.0                  | 2"               | DBW-09           | 3,076.64  | 20      | DBF-09           | 3,354.40  | 20      |
| 46.0-52.0                  | 2"               | DBW-10           | 3,376.80  | 16      | DBF-10           | 3,954.72  | 16      |
| 46.0-52.0                  | 2.1/2"           | DBW-10A          | 4,122.72  | 12      | DBF-10A          | 4,492.32  | 12      |
| 52.0-54.0                  | 2.1/2"           | DBW-011A         | 4,784.64  | 8       | DBF-011A         | 6,027.84  | 8       |
| 54.0-61.0                  | 2.1/2"           | DBW-011          | 5,025.44  | 8       | DBF-011          | 5,521.60  | 8       |
| 61.0-66.0                  | 3"               | DBW-012          | 6,136.48  | 8       | DBF-012          | 6,665.12  | 8       |
| 66.0-72.0                  | 3"               | DBW-013A         | 7,687.68  | 4       | DBF-013A         | 9,357.60  | 4       |
| 72.0-78.0                  | 3.1/4"           | DBW-013          | 8,676.64  | 4       | DBF-013          | 10,505.60 | 4       |
| 78.0-84.0                  | 3.1/2"           | DBW-014          | 10,411.52 | 6       | DBF-014          | 11,154.08 | 6       |
| 84.0-94.0                  | 4"               | DBW-015          | 13,942.88 | 4       | DBF-015          | 15,177.12 | 6       |
| 94.0-104.0                 | 4.1/2"           | DBW-016          | 17,968.16 | 4       | DBF-016          | 19,519.36 | 4       |



### DOUBLE COMPRESSION TYPE MEDIUM DUTY ARMOURED BRASS CABLE GLANDS

| SUITABLE OVER ALL DIAMETER | DOWELLS CAT. NO. | PRODUCT CODE | NIPPLE (inch) | PRICE (₹) | INNER PACKING (NOS.) |
|----------------------------|------------------|--------------|---------------|-----------|----------------------|
| 07.0-14.0                  | DC-3/8"          | DGP10036     | 5/8"          | 337.12    | 200                  |
| 14.1-15.5                  | DC-1/2"          | DGP10037     | 5/8"          | 422.24    | 200                  |
| 15.6-17.0                  | DC-5/8"          | DGP10038     | 3/4"          | 432.32    | 184                  |
| 17.1-18.5                  | DC-3/4"          | DGP10039     | 3/4"          | 499.52    | 112                  |
| 18.6-19.5                  | DC-7/8"          | DGP10040     | 3/4"          | 574.56    | 96                   |
| 19.6-22.5                  | DC-1"            | DGP10041     | 1"            | 669.76    | 80                   |
| 22.6-25.5                  | DC-1 1/8"        | DGP10042     | 1 1/8"        | 855.68    | 60                   |
| 25.6-31.5                  | DC-1 1/4"        | DGP10043     | 1 1/4"        | 1,127.84  | 48                   |
| 31.6-34.5                  | DC-1 3/8"        | DGP10044     | 1 1/2"        | 1,346.24  | 48                   |
| 34.6-36.5                  | DC-1 1/2"        | DGP10045     | 1 1/2"        | 1,584.80  | 32                   |
| 36.6-44.5                  | DC-1 3/4"        | DGP10046     | 2"            | 2,179.52  | 20                   |
| 44.6-49.5                  | DC-2"            | DGP10047     | 2"            | 2,384.48  | 20                   |
| 49.6-54.5                  | DC-2 1/4"        | DGP10048     | 2 1/4"        | 2,783.20  | 16                   |
| 54.6-63.5                  | DC-2 1/2"        | DGP10049     | 2 1/2"        | 3,827.04  | 8                    |
| 63.6-69.5                  | DC-2 3/4"        | DGP10050     | 2 3/4"        | 4,320.96  | 8                    |
| 69.6-74.5                  | DC-3"            | DGP10051     | 3"            | 5,318.88  | 8                    |
| 74.6-81.0                  | DC-3 1/4"        | DGP10052     | 3 1/4"        | 6,160.00  | 4                    |
| 81.1-86.0                  | DC-3 1/2"        | DGP10053     | 3 1/2"        | 8,417.92  | 4                    |
| 86.1-100.0                 | DC-4"            | DGP10054     | 4"            | 10,915.52 | 4                    |



### DOUBLE COMPRESSION UN-ARMOURED BRASS CABLE GLANDS

| SUITABLE OVER ALL DIAMETER | DOWELLS CAT. NO. | PRICE (₹) | BOX PKG |
|----------------------------|------------------|-----------|---------|
| 6.0-12.5                   | DBW-01SS(UN)     | 460.32    | 200     |
| 12.6-14.0                  | DBW-01S(UN)      | 502.88    | 200     |
| 14.1-17.0                  | DBW-01A(UN)      | 639.52    | 120     |
| 17.1-19.0                  | DBW-02(UN)       | 777.28    | 80      |
| 19.1-22.0                  | DBW-03SP(UN)     | 828.80    | 80      |
| 22.1-25.0                  | DBW-04A(UN)      | 1,176.00  | 48      |
| 25.1-29.0                  | DBW-05A(UN)      | 1,289.12  | 48      |
| 29.1-32.0                  | DBW-06SP(UN)     | 1,803.20  | 40      |
| 32.1-35.0                  | DBW-07SP(UN)     | 2,074.24  | 24      |
| 35.1-40.0                  | DBW-08(UN)       | 2,604.00  | 24      |
| 40.1-43.0                  | DBW-09(UN)       | 3,084.48  | 20      |
| 43.1-51.0                  | DBW-010A(UN)     | 3,800.16  | 12      |
| 51.1-59.0                  | DBW-011SP(UN)    | 5,022.08  | 8       |
| 59.1-65.0                  | DBW-012(UN)      | 5,899.04  | 8       |
| 65.1-71.0                  | DBW-013(UN)      | 7,837.76  | 4       |
| 71.1-79.0                  | DBW-014(UN)      | 9,122.40  | 2       |
| 79.1-89.0                  | DBW-015(UN)      | 13,685.28 | 2       |



### SINGLE COMPRESSION & SIBG BRASS CABLE GLANDS

| SINGLE COMPRESSION GLANDS |     |              |           |         | SIBG SERIES      |           |         |
|---------------------------|-----|--------------|-----------|---------|------------------|-----------|---------|
| DOWELLS CAT. NO.          |     | PRODUCT CODE | PRICE (₹) | BOX PKG | DOWELLS CAT. NO. | PRICE (₹) | BOX PKG |
| INCH                      | MM  |              |           |         |                  |           |         |
| 3/8"                      | 10  | DGP10001     | 127.68    | 512     | 1616             | 226.24    | 280     |
| 1/2"                      | 12  | DGP10002     | 127.68    | 512     | 1619             | 240.80    | 200     |
| 5/8"                      | 16  | DGP10003     | 127.68    | 460     | 2119             | 374.08    | 160     |
| 3/4"                      | 19  | DGP10004     | 148.96    | 420     | 2125             | 340.48    | 160     |
| 7/8"                      | 22  | DGP10005     | 175.84    | 336     | 2925             | 477.12    | 96      |
| 1"                        | 25  | DGP10006     | 266.56    | 240     | 2932             | 524.16    | 80      |
| 1.1/8"                    | 28  | DGP10007     | 315.84    | 120     | 2938             | 568.96    | 80      |
| 1.1/4"                    | 32  | DGP10008     | 444.64    | 96      | 3638             | 782.88    | 40      |
| 1.3/8"                    | 35  | DGP10009     | 553.28    | 96      | 4251             | 1,426.88  | 20      |
| 1.1/2"                    | 38  | DGP10010     | 652.96    | 64      | 5451             | 1,626.24  | 16      |
| 1.3/4"                    | 45  | DGP10011     | 791.84    | 48      | 5463             | 1,615.04  | 16      |
| 2"                        | 50  | DGP10012     | 967.68    | 40      | 6063             | 2,480.80  | 16      |
| 2.1/4"                    | 57  | DGP10013     | 1,243.20  | 24      | 6675             | 3,006.08  | 12      |
| 2.1/2"                    | 63  | DGP10014     | 1,436.96  | 20      | 7882             | 4,139.52  | 12      |
| 2.3/4"                    | 70  | DGP10015     | 2,013.76  | 20      |                  |           |         |
| 3"                        | 75  | DGP10016     | 2,480.80  | 16      |                  |           |         |
| 3.1/4"                    | 82  | DGP10017     | 2,636.48  | 12      |                  |           |         |
| 3.1/2"                    | 88  | DGP10018     | 3,318.56  | 12      |                  |           |         |
| 4"                        | 100 | DGP10019     | 3,937.92  | 6       |                  |           |         |
| 4.1/2"                    | 112 | DGP10020     | 6,567.68  | 8       |                  |           |         |



#### BRASS PG GLAND

| SUITABLE OVER ALL DIAMETER | DOWELLS CAT. NO. | PRICE (₹) | BOX PKG |
|----------------------------|------------------|-----------|---------|
| 2-5                        | MPG-7            | 126.56    | 200     |
| 3-8                        | MPG-9            | 164.64    | 80      |
| 4-10                       | MPG-11           | 202.72    | 200     |
| 5-12                       | MPG-13.5         | 265.44    | 200     |
| 8-14                       | MPG-16           | 278.88    | 200     |
| 12-17                      | MPG-21           | 464.80    | 120     |
| 16-25                      | MPG-29           | 936.32    | 60      |
| 20-32                      | MPG-36           | 1,032.64  | 48      |
| 28-37                      | MPG-42           | 2,038.40  | 20      |
| 32-40                      | MPG-48           | 2,140.32  | 16      |

#### NYLON PG GLAND

| SUITABLE OVER ALL DIAMETER | DOWELLS CAT. NO. | PRICE (₹) | BOX PKG |
|----------------------------|------------------|-----------|---------|
| 3.5-6                      | PG-7             | 17.85     | 200     |
| 4-8                        | PG-9             | 22.05     | 80      |
| 5-10                       | PG-11            | 29.40     | 200     |
| 6-12                       | PG-13.5          | 35.70     | 200     |
| 10-14                      | PG-16            | 43.05     | 200     |
| 13-18                      | PG-21            | 56.70     | 120     |
| 18-25                      | PG-29            | 88.20     | 60      |
| 22-32                      | PG-36            | 139.65    | 24      |
| 30-38                      | PG-42            | 175.35    | 20      |
| 34-44                      | PG-48            | 210.00    | 16      |



#### FLANGE TYPE CABLE GLANDS

| SUITABLE OVER ALL DIAMETER | DOWELLS CAT. NO. | PRICE (₹) | BOX PKG |
|----------------------------|------------------|-----------|---------|
| 12.0-16.0                  | DGP10021         | 246.40    | 40      |
| 16.1-18.0                  | DGP10022         | 313.60    | 60      |
| 18.1-21.0                  | DGP10023         | 338.24    | 60      |
| 21.1-25.0                  | DGP10024         | 418.88    | 60      |
| 25.1-29.0                  | DGP10025         | 486.08    | 60      |
| 29.1-33.0                  | DGP10026         | 605.92    | 24      |
| 33.1-35.0                  | DGP10027         | 750.40    | 24      |
| 35.1-38.0                  | DGP10028         | 855.68    | 24      |
| 38.1-41.0                  | DGP10029         | 863.52    | 40      |
| 41.1-45.0                  | DGP10030         | 1,031.52  | 60      |
| 45.1-52.0                  | DGP10031         | 1,234.24  | 60      |
| 52.1-59.0                  | DGP10032         | 1,337.28  | 60      |
| 59.1-67.0                  | DGP10033         | 1,618.40  | 24      |
| 67.1-76.0                  | DGP10034         | 2,060.80  | 60      |
| 76.1-84                    | DGP10035         | 3,394.72  | 40      |



### DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS316 CABLE GLANDS WITH NPT THREADING

| SUITABLE OVERALL DIAMETER | NIPPLE NPT THREAD | WEATHER PROOF              |           |         | FLAME PROOF                |           |         |
|---------------------------|-------------------|----------------------------|-----------|---------|----------------------------|-----------|---------|
|                           |                   | DOWELLS CAT. NO.           | PRICE (₹) | BOX PKG | DOWELLS CAT. NO.           | PRICE (₹) | BOX PKG |
| 6.0 - 12.0                | 3/4" NPT          | DBW-01SS (3/4 NPT)-SS316   | 1,139.04  | 224     | DBF-01SS (3/4 NPT)-SS316   | 1,189.44  | 200     |
| 6.0 - 12.0                | 1/2" NPT          | DBW-01SS (1/2 NPT)-SS316   | 1089.76   | 224     | DBF-01SS (1/2 NPT)-SS316   | 1,139.04  | 200     |
| 12.0 - 16.5               | 3/4" NPT          | DBW-01S (3/4 NPT)-SS316    | 1,436.96  | 200     | DBF-01S (3/4 NPT)-SS316    | 1,486.24  | 160     |
| 12.0 - 16.5               | 1/2" NPT          | DBW-01S (1/2 NPT)-SS316    | 1,387.68  | 200     | DBF-01S (1/2 NPT)-SS316    | 1,436.96  | 160     |
| 16.5 - 18.5               | 3/4" NPT          | DBW-01 (3/4 NPT)-SS316     | 1,832.32  | 144     | DBF-01 (3/4 NPT)-SS316     | 1,882.72  | 96      |
| 16.5 - 18.5               | 1/2" NPT          | DBW-01 (1/2 NPT)-SS316     | 1,832.32  | 144     | DBF-01 (1/2 NPT)-SS316     | 1,882.72  | 96      |
| 16.5 - 18.5               | 1" NPT            | DBW-01 (1 NPT)-SS316       | 2,031.68  | 144     | DBF-01 (1 NPT)-SS316       | 2,130.24  | 96      |
| 18.5 - 20.0               | 1" NPT            | DBW-02 (1 NPT)-SS316       | 2,451.68  | 80      | DBF-02 (1 NPT)-SS316       | 2,526.72  | 80      |
| 18.5 - 20.0               | 1/2" NPT          | DBW-02 (1/2 NPT)-SS316     | 2,056.32  | 80      | DBF-02 (1/2 NPT)-SS316     | 2,105.60  | 80      |
| 18.5 - 20.0               | 3/4" NPT          | DBW-02 (3/4 NPT)-SS316     | 2,178.40  | 80      | DBF-02 (3/4 NPT)-SS316     | 2,228.80  | 80      |
| 20.0 - 23.0               | 3/4" NPT          | DBW-03 (3/4 NPT)-SS316     | 2,178.40  | 80      | DBF-03 (3/4 NPT)-SS316     | 2,228.80  | 80      |
| 20.0 - 23.0               | 1" NPT            | DBW-03 (1 NPT)-SS316       | 2,674.56  | 80      | DBF-03 (1 NPT)-SS316       | 2,773.12  | 80      |
| 20.0 - 23.0               | 1/2" NPT          | DBW-03 (1/2 NPT)-SS316     | 2,178.40  | 80      | DBF-03 (1/2 NPT)-SS316     | 2,228.80  | 80      |
| 20.0 - 23.0               | 1.1/4" NPT        | DBW-03 (1.1/4 NPT)-SS316   | 3,020.64  | 80      | DBF-03 (1.1/4 NPT)-SS316   | 3,120.32  | 80      |
| 23.0 - 26.0               | 1" NPT            | DBW-04 (1 NPT)-SS316       | 3,071.04  | 48      | DBF-04 (1 NPT)-SS316       | 3,169.60  | 48      |
| 23.0 - 26.0               | 3/4" NPT          | DBW-04 (3/4 NPT)-SS316     | 3,071.04  | 48      | DBF-04 (3/4 NPT)-SS316     | 3,169.60  | 48      |
| 23.0 - 26.0               | 1.1/4" NPT        | DBW-04 (1.1/4 NPT)-SS316   | 3,715.04  | 48      | DBF-04 (1.1/4 NPT)-SS316   | 3,861.76  | 48      |
| 23.0 - 26.0               | 1.1/2" NPT        | DBW-04 (1.1/2 NPT)-SS316   | 4,010.72  | 48      | DBF-04 (1.1/2 NPT)-SS316   | 4,110.40  | 48      |
| 26.0 - 30.0               | 3/4" NPT          | DBW-05 (3/4 NPT)-SS316     | 3,861.76  | 48      | DBF-05 (3/4 NPT)-SS316     | 3,936.80  | 48      |
| 26.0 - 30.0               | 1.1/4" NPT        | DBW-05 (1.1/4 NPT)-SS316   | 4,010.72  | 48      | DBF-05 (1.1/4 NPT)-SS316   | 4,110.40  | 48      |
| 26.0 - 30.0               | 1.1/2" NPT        | DBW-05 (1.1/2 NPT)-SS316   | 4,407.20  | 48      | DBF-05 (1.1/2 NPT)-SS316   | 4,530.40  | 48      |
| 26.0 - 30.0               | 1" NPT            | DBW-05 (1 NPT)-SS316       | 3,715.04  | 48      | DBF-05 (1 NPT)-SS316       | 3,912.16  | 48      |
| 26.0 - 30.0               | 2" NPT            | DBW-05 (2 NPT)-SS316       | 5,199.04  | 48      | DBF-05 (2 NPT)-SS316       | 5,545.12  | 48      |
| 26.0 - 30.0               | 1.1/2" NPT        | DBW-05 (1.1/2 NPT)-SS316   | 4,407.20  | 48      | DBF-05 (1.1/2 NPT)-SS316   | 4,530.40  | 48      |
| 30.0 - 33.0               | 1.1/2" NPT        | DBW-06 (1.1/2 NPT)-SS316   | 5,199.04  | 40      | DBF-06 (1.1/2 NPT)-SS316   | 5,495.84  | 32      |
| 30.0 - 33.0               | 2" NPT            | DBW-06 (2 NPT)-SS316       | 6,189.12  | 40      | DBF-06 (2 NPT)-SS316       | 6,535.20  | 32      |
| 30.0 - 33.0               | 1.1/4" NPT        | DBW-06 (1.1/4 NPT)-SS316   | 4,851.84  | 40      | DBF-06 (1.1/4 NPT)-SS316   | 5,199.04  | 32      |
| 33.0 - 37.0               | 1.1/4" NPT        | DBW-07 (1.1/4 NPT)-SS316   | 5,892.32  | 24      | DBF-07 (1.1/4 NPT)-SS316   | 6,040.16  | 24      |
| 33.0 - 37.0               | 2" NPT            | DBW-07 (2 NPT)-SS316       | 6,139.84  | 24      | DBF-07 (2 NPT)-SS316       | 6,684.16  | 24      |
| 33.0 - 37.0               | 1.1/2" NPT        | DBW-07 (1.1/2 NPT)-SS316   | 5,892.32  | 24      | DBF-07 (1.1/2 NPT)-SS316   | 6,387.36  | 24      |
| 37.0 - 41.0               | 1.1/2" NPT        | DBW-08 (1.1/2 NPT)-SS316   | 7,030.24  | 24      | DBF-08 (1.1/2 NPT)-SS316   | 7,526.40  | 24      |
| 41.0 - 46.0               | 2" NPT            | DBW-09 (2 NPT)-SS316       | 11,634.56 | 20      | DBF-09 (2 NPT)-SS316       | 12,129.60 | 20      |
| 46.0 - 52.0               | 1.1/2" NPT        | DBW-10 (1.1/2 NPT)-SS316   | 15,596.00 | 16      | DBF-10 (1.1/2 NPT)-SS316   | 16,091.04 | 16      |
| 46.0 - 52.0               | 2" NPT            | DBW-010 (2 NPT)-SS316      | 15,596.00 | 144     | DBF-010 (2 NPT)-SS316      | 16,091.04 | 16      |
| 54.0 - 61.0               | 2" NPT            | DBW-011 (2 NPT)-SS316      | 20,545.28 | 8       | DBF-011 (2 NPT)-SS316      | 21,040.32 | 8       |
| 54.0 - 61.0               | 2.1/2" NPT        | DBW-011A (2.1/2 NPT)-SS316 | 21,535.36 | 8       | DBF-011A (2.1/2 NPT)-SS316 | 22,031.52 | 8       |
| 61.0 - 66.0               | 2" NPT            | DBW-012 (2 NPT)-SS316      | 23,169.44 | 8       | DBF-012 (2 NPT)-SS316      | 23,516.64 | 8       |
| 66.0 - 72.0               | 2.1/2" NPT        | DBW-013A (2.1/2 NPT)-SS316 | 34,109.60 | 4       | DBF-013A (2.1/2 NPT)-SS316 | 34,555.36 | 4       |
| 72.0 - 78.0               | 3.1/4" NPT        | DBW-013 (3.1/4 NPT)-SS316  | 35,148.96 | 4       | DBF-013 (3.1/4 NPT)-SS316  | 35,892.64 | 4       |
| 78.0 - 84.0               | 3.1/2" NPT        | DBW-014 (3.1/2 NPT)-SS316  | 38,071.04 | 4       | DBF-014 (3.1/2 NPT)-SS316  | 38,861.76 | 6       |
| 84.0 - 94.0               | 4" NPT            | DBW-015 (4 NPT)-SS316      | 47,278.56 | 4       | DBF-015 (4 NPT)-SS316      | 48,020.00 | 6       |
| 94.0 - 104.0              | 4.1/2" NPT        | DBW-016 (4.1/2 NPT)-SS316  | 50,991.36 | 4       | DBF-016 (4.1/2 NPT)-SS316  | 52,476.48 | 4       |



### DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS304 CABLE GLANDS WITH NPT THREADING

| SUITABLE<br>OVERALL<br>DIAMETER | NIPPLE NPT<br>THREAD | WEATHER PROOF              |           |            | FLAME PROOF                |           |            |
|---------------------------------|----------------------|----------------------------|-----------|------------|----------------------------|-----------|------------|
|                                 |                      | DOWELLS CAT. NO.           | PRICE (₹) | BOX<br>PKG | DOWELLS CAT. NO.           | PRICE (₹) | BOX<br>PKG |
| 6.0 - 12.0                      | 3/4" NPT             | DBW-01SS (3/4 NPT)-SS304   | 892.64    | 224        | DBF-01SS (3/4 NPT)-SS304   | 941.92    | 200        |
| 6.0 - 12.0                      | 1/2" NPT             | DBW-01SS (1/2 NPT)-SS304   | 843.36    | 224        | DBF-01SS (1/2 NPT)-SS304   | 892.64    | 200        |
| 12.0 - 16.5                     | 3/4" NPT             | DBW-01S (3/4 NPT)-SS304    | 1,016.96  | 200        | DBF-01S (3/4 NPT)-SS304    | 1,066.24  | 160        |
| 12.0 - 16.5                     | 1/2" NPT             | DBW-01S (1/2 NPT)-SS304    | 917.28    | 200        | DBF-01S (1/2 NPT)-SS304    | 966.56    | 160        |
| 16.5 - 18.5                     | 3/4" NPT             | DBW-01 (3/4 NPT)-SS304     | 1,412.32  | 144        | DBF-01 (3/4 NPT)-SS304     | 1,461.60  | 96         |
| 16.5 - 18.5                     | 1/2" NPT             | DBW-01 (1/2 NPT)-SS304     | 1,412.32  | 144        | DBF-01 (1/2 NPT)-SS304     | 1,461.60  | 96         |
| 16.5 - 18.5                     | 1" NPT               | DBW-01 (1 NPT)-SS304       | 1,536.64  | 144        | DBF-01 (1 NPT)-SS304       | 1,634.08  | 96         |
| 18.5 - 20.0                     | 1" NPT               | DBW-02 (1 NPT)-SS304       | 1,882.72  | 80         | DBF-02 (1 NPT)-SS304       | 1,932.00  | 80         |
| 18.5 - 20.0                     | 1/2" NPT             | DBW-02 (1/2 NPT)-SS304     | 1,536.64  | 80         | DBF-02 (1/2 NPT)-SS304     | 1,585.92  | 80         |
| 18.5 - 20.0                     | 3/4" NPT             | DBW-02 (3/4 NPT)-SS304     | 1,536.64  | 80         | DBF-02 (3/4 NPT)-SS304     | 1,585.92  | 80         |
| 20.0 - 23.0                     | 3/4" NPT             | DBW-03 (3/4 NPT)-SS304     | 1,536.64  | 80         | DBF-03 (3/4 NPT)-SS304     | 1,585.92  | 80         |
| 20.0 - 23.0                     | 1" NPT               | DBW-03 (1 NPT)-SS304       | 1,882.72  | 80         | DBF-03 (1 NPT)-SS304       | 1,461.60  | 80         |
| 20.0 - 23.0                     | 1/2" NPT             | DBW-03 (1/2 NPT)-SS304     | 1,561.28  | 80         | DBF-03 (1/2 NPT)-SS304     | 1,634.08  | 80         |
| 20.0 - 23.0                     | 1.1/4" NPT           | DBW-03 (1.1/4 NPT)-SS304   | 2,526.72  | 80         | DBF-03 (1.1/4 NPT)-SS304   | 2,625.28  | 80         |
| 23.0 - 26.0                     | 1" NPT               | DBW-04 (1 NPT)-SS304       | 2,797.76  | 48         | DBF-04 (1 NPT)-SS304       | 2,922.08  | 48         |
| 23.0 - 26.0                     | 3/4" NPT             | DBW-04 (3/4 NPT)-SS304     | 2,797.76  | 48         | DBF-04 (3/4 NPT)-SS304     | 2,922.08  | 48         |
| 23.0 - 26.0                     | 1.1/4" NPT           | DBW-04 (1.1/4 NPT)-SS304   | 3,317.44  | 48         | DBF-04 (1.1/4 NPT)-SS304   | 3,441.76  | 48         |
| 23.0 - 26.0                     | 1.1/2" NPT           | DBW-04 (1.1/2 NPT)-SS304   | 3,566.08  | 48         | DBF-04 (1.1/2 NPT)-SS304   | 3,689.28  | 48         |
| 26.0 - 30.0                     | 3/4" NPT             | DBW-05 (3/4 NPT)-SS304     | 3,268.16  | 48         | DBF-05 (3/4 NPT)-SS304     | 3,392.48  | 48         |
| 26.0 - 30.0                     | 1.1/4" NPT           | DBW-05 (1.1/4 NPT)-SS304   | 3,664.64  | 48         | DBF-05 (1.1/4 NPT)-SS304   | 3,861.76  | 48         |
| 26.0 - 30.0                     | 1.1/2" NPT           | DBW-05 (1.1/2 NPT)-SS304   | 4,061.12  | 48         | DBF-05 (1.1/2 NPT)-SS304   | 4,259.36  | 48         |
| 26.0 - 30.0                     | 1" NPT               | DBW-05 (1 NPT)-SS304       | 3,317.44  | 48         | DBF-05 (1 NPT)-SS304       | 3,441.76  | 48         |
| 26.0 - 30.0                     | 2" NPT               | DBW-05 (2 NPT)-SS304       | 6,189.12  | 48         | DBF-05 (2 NPT)-SS304       | 6,485.92  | 48         |
| 26.0 - 30.0                     | 1.1/2" NPT           | DBW-05 (1.1/2 NPT)-SS304   | 4,061.12  | 48         | DBF-05 (1.1/2 NPT)-SS304   | 4,259.36  | 48         |
| 30.0 - 33.0                     | 1.1/2" NPT           | DBW-06 (1.1/2 NPT)-SS304   | 3,861.76  | 40         | DBF-06 (1.1/2 NPT)-SS304   | 4,010.72  | 32         |
| 30.0 - 33.0                     | 2" NPT               | DBW-06 (2 NPT)-SS304       | 5,199.04  | 40         | DBF-06 (2 NPT)-SS304       | 5,595.52  | 32         |
| 30.0 - 33.0                     | 1.1/4" NPT           | DBW-06 (1.1/4 NPT)-SS304   | 3,861.76  | 40         | DBF-06 (1.1/4 NPT)-SS304   | 5,199.04  | 32         |
| 33.0 - 37.0                     | 1.1/4" NPT           | DBW-07 (1.1/4 NPT)-SS304   | 4,704.00  | 24         | DBF-07 (1.1/4 NPT)-SS304   | 5,050.08  | 24         |
| 33.0 - 37.0                     | 2" NPT               | DBW-07 (2 NPT)-SS304       | 5,694.08  | 24         | DBF-07 (2 NPT)-SS304       | 5,990.88  | 24         |
| 33.0 - 37.0                     | 1.1/2" NPT           | DBW-07 (1.1/2 NPT)-SS304   | 4,704.00  | 24         | DBF-07 (1.1/2 NPT)-SS304   | 5,545.12  | 24         |
| 37.0 - 41.0                     | 1.1/2" NPT           | DBW-08 (1.1/2 NPT)-SS304   | 6,189.12  | 24         | DBF-08 (1.1/2 NPT)-SS304   | 6,535.20  | 24         |
| 41.0 - 46.0                     | 2" NPT               | DBW-09 (2 NPT)-SS304       | 7,179.20  | 20         | DBF-09 (2 NPT)-SS304       | 7,526.40  | 20         |
| 46.0 - 52.0                     | 1.1/2" NPT           | DBW-10 (1.1/2 NPT)-SS304   | 7,921.76  | 16         | DBF-10 (1.1/2 NPT)-SS304   | 8,613.92  | 16         |
| 46.0 - 52.0                     | 2" NPT               | DBW-010 (2 NPT)-SS304      | 7,921.76  | 144        | DBF-010 (2 NPT)-SS304      | 8,613.92  | 16         |
| 54.0 - 61.0                     | 2" NPT               | DBW-011 (2 NPT)-SS304      | 11,634.56 | 8          | DBF-011 (2 NPT)-SS304      | 12,328.96 | 8          |
| 54.0 - 61.0                     | 2.1/2" NPT           | DBW-011A (2.1/2 NPT)-SS304 | 11,634.56 | 8          | DBF-011A (2.1/2 NPT)-SS304 | 12,328.96 | 8          |
| 61.0 - 66.0                     | 2" NPT               | DBW-012 (2 NPT)-SS304      | 16,586.08 | 8          | DBF-012 (2 NPT)-SS304      | 12,328.96 | 8          |
| 66.0 - 72.0                     | 2.1/2" NPT           | DBW-013A (2.1/2 NPT)-SS304 | 17,822.56 | 4          | DBF-013A (2.1/2 NPT)-SS304 | 18,565.12 | 4          |
| 72.0 - 78.0                     | 3.1/4" NPT           | DBW-013 (3.1/4 NPT)-SS304  | 18,070.08 | 4          | DBF-013 (3.1/4 NPT)-SS304  | 18,565.12 | 4          |
| 78.0 - 84.0                     | 3.1/2" NPT           | DBW-014 (3.1/2 NPT)-SS304  | 20,545.28 | 4          | DBF-014 (3.1/2 NPT)-SS304  | 21,189.28 | 6          |
| 84.0 - 94.0                     | 4" NPT               | DBW-015 (4 NPT)-SS304      | 25,744.32 | 4          | DBF-015 (4 NPT)-SS304      | 26,485.76 | 6          |
| 94.0 - 104.0                    | 4.1/2" NPT           | DBW-016 (4.1/2 NPT)-SS304  | 36,139.04 | 4          | DBF-016 (4.1/2 NPT)-SS304  | 36,882.72 | 4          |



## DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS316 CABLE GLANDS WITH METRIC THREADING

| SUITABLE OVERALL DIAMETER | NIPPLE METRIC THREAD | WEATHER PROOF      |           |         | FLAME PROOF        |           |         |
|---------------------------|----------------------|--------------------|-----------|---------|--------------------|-----------|---------|
|                           |                      | DOWELLS CAT. NO.   | PRICE (₹) | BOX PKG | DOWELLS CAT. NO.   | PRICE (₹) | BOX PKG |
| 6.0 – 12.0                | M20                  | DBW-01SS-M20-SS316 | 1,041.60  | 200     | DBF-01SS-M20-SS316 | 1114.40   | 200     |
| 12.1 – 16.5               | M16                  | DBW-01S-M16-SS316  | 1,288.00  | 200     | DBF-01S-M16-SS316  | 1,363.04  | 160     |
| 12.1 – 16.5               | M20                  | DBW-01S-M20-SS316  | 1,288.00  | 200     | DBF-01S-M20-SS316  | 1,363.04  | 160     |
| 12.1 – 16.5               | M25                  | DBW-01S-M25-SS316  | 1,512.00  | 200     | DBF-01S-M25-SS316  | 1,561.28  | 160     |
| 16.6 – 18.5               | M20                  | DBW-01-M20-SS316   | 1,585.92  | 120     | DBF-01-M20-SS316   | 1,683.36  | 120     |
| 16.6 – 18.5               | M25                  | DBW-01-M25-SS316   | 1,585.92  | 120     | DBF-01-M25-SS316   | 1,783.04  | 120     |
| 16.6 – 18.5               | M32                  | DBW-01-M32-SS316   | 1,907.36  | 120     | DBF-01-M32-SS316   | 1,956.64  | 120     |
| 18.6 – 20.0               | M20                  | DBW-02-M20-SS316   | 1,882.72  | 80      | DBF-02-M20-SS316   | 2,005.92  | 80      |
| 18.6 – 20.0               | M25                  | DBW-02-M25-SS316   | 1,882.72  | 80      | DBF-02-M25-SS316   | 2,005.92  | 80      |
| 20.1 – 23.0               | M20                  | DBW-03-M20-SS316   | 2,080.96  | 80      | DBF-03-M20-SS316   | 2,130.24  | 80      |
| 20.1 – 23.0               | M25                  | DBW-03-M25-SS316   | 2,080.96  | 80      | DBF-03-M25-SS316   | 2,130.24  | 80      |
| 23.1 – 26.0               | M25                  | DBW-04-M25-SS316   | 2,872.80  | 48      | DBF-04-M25-SS316   | 3,020.64  | 48      |
| 23.1 – 26.0               | M32                  | DBW-04-M32-SS316   | 3,317.44  | 48      | DBF-04-M32-SS316   | 3,441.76  | 48      |
| 26.1 – 30.0               | M32                  | DBW-05-M32-SS316   | 3,640.00  | 48      | DBF-05-M32-SS316   | 3,837.12  | 48      |
| 26.1 – 30.0               | M40                  | DBW-05-M40-SS316   | 4,061.12  | 48      | DBF-05-M40-SS316   | 4,654.72  | 48      |
| 30.1 – 33.0               | M32                  | DBW-06-M32-SS316   | 4,530.40  | 32      | DBF-06-M32-SS316   | 4,779.04  | 32      |
| 30.1 – 33.0               | M40                  | DBW-06-M40-SS316   | 4,530.40  | 32      | DBF-06-M40-SS316   | 4,779.04  | 32      |
| 33.1 – 37.0               | M40                  | DBW-07-M40-SS316   | 5,545.12  | 24      | DBF-07-M40-SS316   | 5,843.04  | 24      |
| 37.1 – 41.0               | M50                  | DBW-08-M50-SS316   | 6,559.84  | 24      | DBF-08-M50-SS316   | 6,882.40  | 24      |
| 41.1 – 46.0               | M50                  | DBW-09-M50-SS316   | 10,396.96 | 20      | DBF-09-M50-SS316   | 10,892.00 | 20      |
| 46.1 – 52.0               | M50                  | DBW-010-M50-SS316  | 13,119.68 | 12      | DBF-010-M50-SS316  | 13,689.76 | 16      |
| 46.1 – 52.0               | M63                  | DBW-010-M63-SS316  | 13,119.68 | 12      | DBF-010-M63-SS316  | 15,347.36 | 16      |
| 54.1 – 61.0               | M63                  | DBW-011-M63-SS316  | 19,308.80 | 8       | DBF-011-M63-SS316  | 20,125.28 | 8       |
| 52.1 – 54.0               | M63                  | DBW-011A-M63-SS316 | 19,308.80 | 8       | DBF-011A-M63-SS316 | 20,125.28 | 8       |
| 61.1 – 66.0               | M75                  | DBW-012-M75-SS316  | 21,882.56 | 4       | DBF-012-M75-SS316  | 22,823.36 | 8       |
| 66.1 – 72.0               | M75                  | DBW-013A-M75-SS316 | 32,229.12 | 4       | DBF-013A-M75-SS316 | 33,465.60 | 4       |
| 72.1 – 78.0               | M78                  | DBW-013-M78-SS316  | 32,229.12 | 4       | DBF-013-M78-SS316  | 33,465.60 | 4       |
| 72.1 – 78.0               | M82                  | DBW-013-M82-SS316  | 32,229.12 | 4       | DBF-013-M82-SS316  | 33,465.60 | 4       |
| 78.1 – 84.0               | M90                  | DBW-014-M90-SS316  | 35,892.64 | 2       | DBF-014-M90-SS316  | 37,302.72 | 6       |
| 84.1 – 94.0               | M100                 | DBW-015-M100-SS316 | 45,545.92 | 2       | DBF-015-M100-SS316 | 47,278.56 | 6       |
| 94.1 – 104.0              | M100                 | DBW-016-M100-SS316 | 48,961.92 | 4       | DBF-016-M100-SS316 | 50,991.36 | 4       |



## DOUBLE COMPRESSION ARMOURED WEATHER AND FLAME PROOF SS304 CABLE GLANDS WITH METRIC THREADING

| SUITABLE OVERALL DIAMETER | NIPPLE METRIC THREAD | WEATHER PROOF      |           |         | FLAME PROOF        |           |         |
|---------------------------|----------------------|--------------------|-----------|---------|--------------------|-----------|---------|
|                           |                      | DOWELLS CAT. NO.   | PRICE (₹) | BOX PKG | DOWELLS CAT. NO.   | PRICE (₹) | BOX PKG |
| 6.0 - 12.0                | M20                  | DBW-01SS-M20-SS304 | 843.36    | 200     | DBF-01SS-M20-SS304 | 892.64    | 200     |
| 12.1 - 16.5               | M16                  | DBW-01S-M16-SS304  | 1,041.60  | 200     | DBF-01S-M16-SS304  | 1,089.76  | 160     |
| 12.1 - 16.5               | M20                  | DBW-01S-M20-SS304  | 1,041.60  | 200     | DBF-01S-M20-SS304  | 1,089.76  | 160     |
| 12.1 - 16.5               | M25                  | DBW-01S-M25-SS304  | 1,288.00  | 200     | DBF-01S-M25-SS304  | 1,337.28  | 160     |
| 16.6 - 18.5               | M20                  | DBW-01-M20-SS304   | 1,312.64  | 120     | DBF-01-M20-SS304   | 1,363.04  | 120     |
| 16.6 - 18.5               | M25                  | DBW-01-M25-SS304   | 1,363.04  | 120     | DBF-01-M25-SS304   | 1,436.96  | 120     |
| 16.6 - 18.5               | M32                  | DBW-01-M32-SS304   | 1,536.64  | 120     | DBF-01-M32-SS304   | 1,634.08  | 120     |
| 18.6 - 20.0               | M20                  | DBW-02-M20-SS304   | 1,512.00  | 80      | DBF-02-M20-SS304   | 1,585.92  | 80      |
| 18.6 - 20.0               | M25                  | DBW-02-M25-SS304   | 1,512.00  | 80      | DBF-02-M25-SS304   | 1,585.92  | 80      |
| 20.1 - 23.0               | M20                  | DBW-03-M20-SS304   | 1,561.28  | 80      | DBF-03-M20-SS304   | 1,634.08  | 80      |
| 20.1 - 23.0               | M25                  | DBW-03-M25-SS304   | 1,561.28  | 80      | DBF-03-M25-SS304   | 1,634.08  | 80      |
| 23.1 - 26.0               | M25                  | DBW-04-M25-SS304   | 2,302.72  | 48      | DBF-04-M25-SS304   | 2,427.04  | 48      |
| 23.1 - 26.0               | M32                  | DBW-04-M32-SS304   | 2,302.72  | 48      | DBF-04-M32-SS304   | 2,427.04  | 48      |
| 26.1 - 30.0               | M32                  | DBW-05-M32-SS304   | 2,847.04  | 48      | DBF-05-M32-SS304   | 3,020.64  | 48      |
| 26.1 - 30.0               | M40                  | DBW-05-M40-SS304   | 2,847.04  | 48      | DBF-05-M40-SS304   | 3,417.12  | 48      |
| 30.1 - 33.0               | M32                  | DBW-06-M32-SS304   | 3,491.04  | 32      | DBF-06-M32-SS304   | 3,664.64  | 32      |
| 30.1 - 33.0               | M40                  | DBW-06-M40-SS304   | 3,491.04  | 32      | DBF-06-M40-SS304   | 3,664.64  | 32      |
| 33.1 - 37.0               | M40                  | DBW-07-M40-SS304   | 4,259.36  | 24      | DBF-07-M40-SS304   | 4,431.84  | 24      |
| 37.1 - 41.0               | M50                  | DBW-08-M50-SS304   | 5,274.08  | 24      | DBF-08-M50-SS304   | 5,694.08  | 24      |
| 41.1 - 46.0               | M50                  | DBW-09-M50-SS304   | 8,813.28  | 20      | DBF-09-M50-SS304   | 9,357.60  | 20      |
| 46.1 - 52.0               | M50                  | DBW-010-M50-SS304  | 10,941.28 | 12      | DBF-010-M50-SS304  | 11,634.56 | 16      |
| 46.1 - 52.0               | M63                  | DBW-010-M63-SS304  | 10,941.28 | 12      | DBF-010-M63-SS304  | 11,634.56 | 16      |
| 54.1 - 61.0               | M63                  | DBW-011-M63-SS304  | 18,764.48 | 8       | DBF-011-M63-SS304  | 19,259.52 | 8       |
| 52.1 - 54.0               | M63                  | DBW-011A-M63-SS304 | 18,764.48 | 8       | DBF-011A-M63-SS304 | 19,259.52 | 8       |
| 61.1 - 66.0               | M75                  | DBW-012-M75-SS304  | 19,555.20 | 8       | DBF-012-M75-SS304  | 20,298.88 | 8       |
| 66.1 - 72.0               | M75                  | DBW-013A-M75-SS304 | 27,129.76 | 4       | DBF-013A-M75-SS304 | 27,972.00 | 4       |
| 72.1 - 78.0               | M78                  | DBW-013-M78-SS304  | 27,129.76 | 4       | DBF-013-M78-SS304  | 27,972.00 | 4       |
| 72.1 - 78.0               | M82                  | DBW-013-M82-SS304  | 27,129.76 | 4       | DBF-013-M82-SS304  | 27,972.00 | 4       |
| 78.1 - 84.0               | M90                  | DBW-014-M90-SS304  | 27,823.04 | 2       | DBF-014-M90-SS304  | 28,664.16 | 6       |
| 84.1 - 94.0               | M100                 | DBW-015-M100-SS304 | 34,976.48 | 2       | DBF-015-M100-SS304 | 36,139.04 | 6       |
| 94.1 - 104.0              | M100                 | DBW-016-M100-SS304 | 42,823.20 | 4       | DBF-016-M100-SS304 | 44,060.80 | 4       |




### DOUBLE COMPRESSION ARMoured WEATHER AND FLAME PROOF SS316 CABLE GLANDS

| SUITABLE<br>OVERALL<br>DIAMETER | NIPPLE ET<br>THREAD | WEATHER PROOF    |           |            | FLAME PROOF      |           |            |
|---------------------------------|---------------------|------------------|-----------|------------|------------------|-----------|------------|
|                                 |                     | DOWELLS CAT. NO. | PRICE (₹) | BOX<br>PKG | DOWELLS CAT. NO. | PRICE (₹) | BOX<br>PKG |
| 6.0-12.0                        | 3/4"                | DBW-01SS-SS316   | 1,041.60  | 200        | DBF-01SS-SS316   | 1,114.40  | 200        |
| 12.0-16.5                       | 3/4"                | DBW-01S-SS316    | 1,288.00  | 200        | DBF-01S-SS316    | 1,363.04  | 200        |
| 16.5-18.5                       | 3/4"                | DBW-01-SS316     | 1,585.92  | 200        | DBF-01-SS316     | 1,683.36  | 200        |
| 16.5-18.5                       | 1"                  | DBW-01A-SS316    | 1,585.92  | 120        | DBF-01A-SS316    | 1,683.36  | 120        |
| 18.5-20.0                       | 1"                  | DBW-02-SS316     | 1,882.72  | 80         | DBF-02-SS316     | 2,005.92  | 80         |
| 18.5-20.0                       | 3/4"                | DBW-02A-SS316    | 1,882.72  | 80         | DBF-02A-SS316    | 2,005.92  | 80         |
| 20.0-23.0                       | 1"                  | DBW-03-SS316     | 2,080.96  | 80         | DBF-03-SS316     | 2,130.24  | 80         |
| 23.0-26.0                       | 1"                  | DBW-04-SS316     | 2,872.80  | 48         | DBF-04-SS316     | 3,020.64  | 48         |
| 23.0-26.0                       | 1.1/4"              | DBW-04A-SS316    | 2,872.80  | 48         | DBF-04A-SS316    | 3,020.64  | 48         |
| 26.0-30.0                       | 1.1/4"              | DBW-05-SS316     | 3,640.00  | 48         | DBF-05-SS316     | 3,837.12  | 48         |
| 26.0-30.0                       | 1.1/2"              | DBW-05A-SS316    | 3,640.00  | 48         | DBF-05A-SS316    | 3,837.12  | 48         |
| 30.0-33.0                       | 1.1/2"              | DBW-06-SS316     | 4,530.40  | 40         | DBF-06-SS316     | 4,779.04  | 32         |
| 30.0-33.0                       | 1.1/4"              | DBW-06A-SS316    | 4,530.40  | 32         | DBF-06A-SS316    | 4,779.04  | 32         |
| 33.0-37.0                       | 1.1/2"              | DBW-07-SS316     | 5,545.12  | 24         | DBF-07-SS316     | 5,843.04  | 24         |
| 37.0-41.0                       | 2"                  | DBW-08-SS316     | 6,559.84  | 24         | DBF-08-SS316     | 6,882.40  | 24         |
| 41.0-46.0                       | 2"                  | DBW-09-SS316     | 10,396.96 | 20         | DBF-09-SS316     | 10,892.00 | 20         |
| 46.0-52.0                       | 2"                  | DBW-010-SS316    | 13,119.68 | 12         | DBF-010-SS316    | 13,689.76 | 16         |
| 46.0-52.0                       | 2.1/2"              | DBW-010A-SS316   | 13,119.68 | 12         | DBF-010A-SS316   | 13,689.76 | 16         |
| 52.0-54.0                       | 2.1/2"              | DBW-011A-SS316   | 19,308.80 | 8          | DBF-011A-SS316   | 20,125.28 | 8          |
| 54.0-61.0                       | 2.1/2"              | DBW-011-SS316    | 19,308.80 | 8          | DBF-011-SS316    | 20,125.28 | 8          |
| 61.0-66.0                       | 3"                  | DBW-012-SS316    | 21,882.56 | 8          | DBF-012-SS316    | 22,823.36 | 8          |
| 66.0-72.0                       | 3"                  | DBW-013A-SS316   | 32,229.12 | 4          | DBF-013A-SS316   | 33,465.60 | 4          |
| 72.0-78.0                       | 3.1/4"              | DBW-013-SS316    | 32,229.12 | 4          | DBF-013-SS316    | 33,465.60 | 4          |
| 78.0-84.0                       | 3.1/2"              | DBW-014-SS316    | 35,892.64 | 2          | DBF-014-SS316    | 37,302.72 | 6          |
| 84.0-94.0                       | 4"                  | DBW-015-SS316    | 45,545.92 | 2          | DBF-015-SS316    | 47,278.56 | 6          |




## DOUBLE COMPRESSION ARMOURED WEATHER AND FLAME PROOF SS304 CABLE GLANDS

| SUITABLE<br>OVERALL<br>DIAMETER | NIPPLE ET<br>THREAD | WEATHER PROOF    |           |            | FLAME PROOF      |           |            |
|---------------------------------|---------------------|------------------|-----------|------------|------------------|-----------|------------|
|                                 |                     | DOWELLS CAT. NO. | PRICE (₹) | BOX<br>PKG | DOWELLS CAT. NO. | PRICE (₹) | BOX<br>PKG |
| 6.0-12.0                        | 3/4"                | DBW-01SS-SS304   | 843.36    | 200        | DBF-01SS-SS304   | 892.64    | 200        |
| 12.0-16.5                       | 3/4"                | DBW-01S-SS304    | 1,041.60  | 200        | DBF-01S-SS304    | 1,089.76  | 200        |
| 16.5-18.5                       | 3/4"                | DBW-01-SS304     | 1,312.64  | 200        | DBF-01-SS304     | 1,387.68  | 200        |
| 16.5-18.5                       | 1"                  | DBW-01A-SS304    | 1,312.64  | 120        | DBF-01A-SS304    | 1,387.68  | 120        |
| 18.5-20.0                       | 1"                  | DBW-02-SS304     | 1,512.00  | 80         | DBF-02-SS304     | 1,585.92  | 80         |
| 18.5-20.0                       | 3/4"                | DBW-02A-SS304    | 1,512.00  | 80         | DBF-02A-SS304    | 1,585.92  | 80         |
| 20.0-23.0                       | 1"                  | DBW-03-SS304     | 1,561.28  | 80         | DBF-03-SS304     | 1,634.08  | 80         |
| 23.0-26.0                       | 1"                  | DBW-04-SS304     | 2,302.72  | 48         | DBF-04-SS304     | 2,427.04  | 48         |
| 23.0-26.0                       | 1.1/4"              | DBW-04A-SS304    | 2,302.72  | 48         | DBF-04A-SS304    | 2,427.04  | 48         |
| 26.0-30.0                       | 1.1/4"              | DBW-05-SS304     | 2,847.04  | 48         | DBF-05-SS304     | 3,020.64  | 48         |
| 26.0-30.0                       | 1.1/2"              | DBW-05A-SS304    | 2,847.04  | 48         | DBF-05A-SS304    | 3,020.64  | 48         |
| 30.0-33.0                       | 1.1/2"              | DBW-06-SS304     | 3,491.04  | 40         | DBF-06-SS304     | 3,664.64  | 32         |
| 30.0-33.0                       | 1.1/4"              | DBW-06A-SS304    | 3,491.04  | 32         | DBF-06A-SS304    | 3,664.64  | 32         |
| 33.0-37.0                       | 1.1/2"              | DBW-07-SS304     | 4,259.36  | 24         | DBF-07-SS304     | 4,431.84  | 24         |
| 37.0-41.0                       | 2"                  | DBW-08-SS304     | 5,274.08  | 24         | DBF-08-SS304     | 5,694.08  | 24         |
| 41.0-46.0                       | 2"                  | DBW-09-SS304     | 8,813.28  | 20         | DBF-09-SS304     | 9,357.60  | 20         |
| 46.0-52.0                       | 2"                  | DBW-010-SS304    | 10,941.28 | 12         | DBF-010-SS304    | 11,485.60 | 16         |
| 46.0-52.0                       | 2.1/2"              | DBW-010A-SS304   | 10,941.28 | 12         | DBF-010A-SS304   | 11,485.60 | 8          |
| 52.0-54.0                       | 2.1/2"              | DBW-011A-SS304   | 18,565.12 | 8          | DBF-011A-SS304   | 19,259.52 | 8          |
| 54.0-61.0                       | 2.1/2"              | DBW-011-SS304    | 18,565.12 | 8          | DBF-011-SS304    | 19,259.52 | 8          |
| 61.0-66.0                       | 3"                  | DBW-012-SS304    | 19,555.20 | 8          | DBF-012-SS304    | 20,298.88 | 8          |
| 66.0-72.0                       | 3"                  | DBW-013A-SS304   | 27,129.76 | 4          | DBF-013A-SS304   | 27,972.00 | 4          |
| 72.0-78.0                       | 3.1/4"              | DBW-013-SS304    | 27,129.76 | 4          | DBF-013-SS304    | 27,972.00 | 4          |
| 78.0-84.0                       | 3.1/2"              | DBW-014-SS304    | 27,823.04 | 2          | DBF-014-SS304    | 28,664.16 | 6          |
| 84.0-94.0                       | 4"                  | DBW-015-SS304    | 34,976.48 | 2          | DBF-015-SS304    | 36,139.04 | 6          |
| 94.0-104.0                      | 4.1/2"              | DBW-016-SS304    | 42,823.20 | 4          | DBF-016-SS304    | 44,060.80 | 4          |



|                    | EARTH TAG         |           |         | LSF/LSZH SHROUD  |           |         |
|--------------------|-------------------|-----------|---------|------------------|-----------|---------|
| FOR GLAND SIZE     | DOWELL'S CAT. NO. | PRICE (₹) | BOX PKG | SHROUD SIZE/CODE | PRICE (₹) | BOX PKG |
| DBW -01SS/DBF-01SS | DET-20            | 48.16     | 200     | 2023             | 23.10     | 1600    |
| DBW -01S/DBF-01S   | DET-20            | 48.16     | 200     | 2026             | 29.40     | 4000    |
| DBW -01/DBF-01     | DET-20            | 48.16     | 200     | 2030             | 37.80     | 200     |
| DBW -02A/DBF-02A   | DET-20            | 48.16     | 200     | 2030A            | 39.90     | 200     |
| DBW -01A/DBF-01A   | DET-25            | 60.48     | 200     | 2533             | 39.90     | 100     |
| DBW -02/DBF-02     | DET-25            | 60.48     | 200     | 2533A            | 39.90     | 100     |
| DBW -03/DBF-03     | DET-25            | 60.48     | 200     | 2535             | 49.35     | 100     |
| DBW -04/DBF-04     | DET-25            | 60.48     | 200     | 4000             | 60.90     | 100     |
| DBW -04A/DBF-04A   | DET-32            | 71.68     | 200     | 4000A            | 60.90     | 100     |
| DBW -05/DBF-05     | DET-32            | 71.68     | 200     | 3246             | 63.00     | 100     |
| DBW -06A/DBF-06A   | DET-32            | 71.68     | 200     | 3246A            | 72.45     | 100     |
| DBW -05A/DBF-05A   | DET-40            | 78.40     | 600     | 3251             | 99.75     | 100     |
| DBW -06/DBF-06     | DET-40            | 78.40     | 600     | 3251A            | 99.75     | 100     |
| DBW -07/DBF-07     | DET-40            | 78.40     | 600     | 4053             | 109.20    | 60      |
| DBW -08/DBF-08     | DET-50            | 89.60     | 200     | 5063             | 143.85    | 50      |
| DBW -09/DBF-09     | DET-50            | 89.60     | 200     | 5068             | 158.55    | 60      |
| DBW -010/DBF-010   | DET-50            | 89.60     | 200     | 6371             | 165.90    | 50      |
| DBW -010A/DBF-010A | DET-63            | 163.52    | 200     | 6371A            | 165.90    | 50      |
| DBW -011A/DBF-011A | DET-63            | 163.52    | 200     | 6388             | 253.05    | 30      |
| DBW -011/DBF-011   | DET-63            | 163.52    | 200     | 6388A            | 253.05    | 30      |
| DBW -012/DBF-012   | DET-75            | 207.20    | 200     | 7595             | 279.30    | 30      |
| DBW -013A/DBF-013A | DET-75            | 207.20    | 200     | 7595A            | 279.30    | 30      |
| DBW -014/DBF-014   | DET-90            | 207.20    | 200     | 7595B            | 380.10    | 30      |
| DBW -015/DBF-015   | DET-100           | 418.88    | 200     |                  |           |         |



**FIG 1** Terminating the armouring of an swa cable metallic enclosures



# Mechanical Crimping Tools (Hand Operated)

- Item Code: SYT-2M
- List Price: 1561/-
- Crimping Range: 1.5 – 16 mm<sup>2</sup>
- Application: Non-insulated terminals (Point type)
- Key Features: Heavy-duty hand crimper, Suitable for medium-size lugs, Reliable point-type compression



- Item Code: SYT-17M
- List Price: 1502/-
- Crimping Range: 0.5 – 6 mm<sup>2</sup>
- Application: Non-insulated terminals (Point type)
- Key Features: Compact design, Accurate crimping for small conductors, Consistent crimp quality



- Item Code: SYT-26TW
- List Price: 1385/-
- Crimping Range: 2 × (0.5 to 6 mm<sup>2</sup>)
- Application: Insulated & non-insulated ferrules
- Key Features: Twin ferrule crimping capability, Parallel jaw mechanism, High repeatability



- Item Code: SYT-52M
- List Price: 1277/-
- Crimping Range: 0.5 – 6 mm<sup>2</sup>
- Application: Insulated & non-insulated ferrules
- Key Features: Dual-use for insulated and bare ferrules, Ergonomic handles, Uniform pressure distribution



- **Item Code:** SYT-53M
- **List Price:** 1473/-
- **Crimping Range:** 10, 16, 25, 35 mm<sup>2</sup>
- **Application:** Insulated & non-insulated ferrules
- **Key Features:** Designed for large ferrules, Strong mechanical leverage, Durable steel construction



- **Item Code:** SYT-1546A
- **List Price:** 1385/-
- **Crimping Range:** 0.25-0.5, 0.5-1.5, 1.5-2.5, 4.0-6.0 mm<sup>2</sup>
- **Application:** Insulated Terminals
- **Key Features:** Specially designed for insulated lugs, Fixed Crimping Cavities for, Accurate size matching, Ideal for panel wiring and Control wiring




- **Item Code:** PYW-2
- **List Price:** 3685/-
- **Crimping Range:** 0.5 – 6 mm<sup>2</sup>
- **Type:** Ratchet terminal crimping plier
- **Key Features:** Ratchet mechanism ensures full, crimp cycle, Consistent crimp quality



# Self-Adjustable Crimping Pliers

- Item Code: SYT-6-6
- List Price: 1277/-
- Crimping Range: 0.25 – 6 mm<sup>2</sup>
- Type: Mini self-adjustable crimping plier
- Key Features: Compact and lightweight, Suitable for panel wiring, Uniform crimping force



- Item Code: SYT-16-4A
- List Price: 2107/-
- Crimping Range: 4 – 16 mm<sup>2</sup>
- Type: Mini self-adjustable crimping plier
- Key Features: No die change required, Consistent crimp depth, Reduced operator fatigue



- Item Code: SYT-10-4
- List Price: 985/-
- Crimping Range: 0.25 – 10 mm<sup>2</sup>
- Type: Mini self-adjustable crimping plier
- Key Features: Automatic size adjustment, Faster operation, Ideal for control wiring



# Hexagonal Crimping Tools (Mechanical & Hydraulic)


- Item Code: SYA-427H
- List Price: 1561/-
- Crimping Range: 1.5 – 10 mm<sup>2</sup>
- Application: Non-insulated terminals (Hex type)
- Key Features: Hexagonal crimp profile, Good electrical conductivity, Firm terminal grip




- Item Code: SYA-428H
- List Price: 2508/-
- Crimping Range: 6 – 25 mm<sup>2</sup>
- Application: Non-insulated terminals (Hex type)
- Key Features: Strong hex compression, Suitable for power circuits, Long service life



- Item Code: SYT-9M
- List Price: 3171/-
- Crimping Range: 6 – 50 mm<sup>2</sup>
- Application: Non-insulated terminals (Hex type)
- Key Features: Heavy-duty hand tool, Uniform hex crimp, Improved mechanical strength



- Item Code: SYHX-150B
- List Price: 7857/-
- Crimping Range: 25 – 150 mm<sup>2</sup>
- Application: Non-insulated lugs (Hex type)
- Key Features: High-force hex crimp, Industrial power applications, Robust frame



- **Item Code:** SYT-109A
- **List Price:** 35594/-
- **Crimping Range:** 70 – 400 mm<sup>2</sup>
- **Type:** Hydraulic crimping tool
- **Key Features:** Extra-heavy-duty application, Hex Die for strong joint, Used in substations & LT/HT panels



- **Item Code:** SYT-106
- **List Price:** 8162/-
- **Crimping Range:** 16 – 300 mm<sup>2</sup>
- **Type:** Hydraulic crimping tool
- **Key Features:** Hexagonal Die design, Tight press connection, Good electrical conduction, Crimping force up to 70 MPa



- **Item Code:** SYHX-240
- **List Price:** 11538/-
- **Crimping Range:** 70 – 240 mm<sup>2</sup>
- **Application:** Copper tube terminals
- **Key Features:** Hex die system, Low contact resistance, Suitable for heavy cables



# Cable Cutter

- Item Code: SYT-120
- List Price: 2324/-
- Cutting Capacity: Up to 120 mm<sup>2</sup>
- Key Features: Clean cable cutting, Hardened cutting edges, Compact design



- Item Code: SYT-240
- List Price: 3301/-
- Cutting Capacity: Up to 240 mm<sup>2</sup>
- Key Features: Heavy-duty cutter, Low cutting force, Suitable for copper & aluminum cables



- Item Code: SYC-D75
- List Price: 12456/-
- Cutting Capacity: 3 × 120 mm<sup>2</sup>
- Key Features: Multi-core cutting capability, Strong mechanical construction



- Item Code: SYC-D100
- List Price: 30683/-
- Cutting Capacity: 3 × 300 mm<sup>2</sup>
- Key Features: Extra heavy-duty cutting, Used in power cable installation



## Cutter & Stripper Tools

- Item Code: SYC-060
- List Price: 618/-
- Cutting Range:  $\leq 16 \text{ mm}^2$
- Stripping Range: 6, 10, 16 mm<sup>2</sup>
- Key Features: HCompact cutter & stripper, Workshop and site use



- Item Code: SYCS-616
- List Price: 705/-
- Cutting Range:  $\leq 16 \text{ mm}^2$
- Stripping Range: 6, 10, 16 mm<sup>2</sup>
- Key Features: Precise insulation removal, Durable jaws



- Item Code: PYC-1
- List Price: 3071/-
- Cutting Range: 0.5 – 10 mm<sup>2</sup>
- Stripping Range: 0.5 – 10 mm<sup>2</sup>
- Key Features: Automatic wire size adjustment, Fast stripping operation



- Item Code: SYCS-256
- List Price: 1669/-
- Cutting Range: 0.25 – 6 mm<sup>2</sup>
- Stripping Range: 0.25 – 6 mm<sup>2</sup>
- Crimping Range: 0.5 – 6 mm<sup>2</sup>
- Key Features: 3-in-1 tool, Ideal for electricians, Saves time and tool changes



# Modular Crimping Tools

- Item Code: PYL-1
- List Price: 1865/-
- Crimping Range: RJ10,RJ11/12,RJ45
- Application: Used for crimping modular plugs in telephone wiring, LAN/Ethernet networking, and basic data communication installations.



- Item Code: PYL-2
- List Price: 885/-
- Crimping Range: RJ10, RJ11/12, RJ45 (4P4C, 6P4C, 6P6C, 8P8C)
- Application: Used in LAN networking, telephone wiring, and data communication cabling.



- Item Code: PYL-3
- List Price: 1965/-
- Crimping Range: RJ10, RJ11/12, RJ45 (4P4C, 6P4C, 6P6C, 8P8C)
- Application: Used for crimping modular plugs in telecom, LAN networking, CCTV systems, data communication, and structured cabling work.



- Item Code: PYL-4
- List Price: 1965/-
- Crimping Range: 8P8C/RJ-4, 6P6CPJ-12, 6P4C/RJ-11, 4P4C&4P2C
- Application: Telephone, LAN, CCTV & structured cabling



## TOOLS AND ACCESSORIES

The extensive list of tools and accessories are developed to offer the best equipment for crimping and preparing the connectors. Matched to DOWELL'S connectors and dies for best performance and conformity.



| HYDRAULIC CRIMPING TOOLS |          |           |         |
|--------------------------|----------|-----------|---------|
| mm <sup>2</sup> -RANGE   | CAT. NO. | PRICE (₹) | STD PKG |
| 10-300                   | SYD-20A  | 24,978.00 | 1       |
| 50-400                   | SYD-20B  | 37,680.00 | 1       |
| 10-300                   | SYD-20C  | 39,287.00 | 1       |
| 10-1000                  | SYE-150A | 67,111.00 | 1       |
| 10-1000                  | SYE-150B | 57,655.00 | 1       |
| 10-1000                  | SYE-150C | 59,927.00 | 1       |
| 50-630                   | SYT-102R | 55,436.00 | 1       |



| mm <sup>2</sup> RANGE | CAT. NO.      | PRICE (₹) | STD PKG |
|-----------------------|---------------|-----------|---------|
| UPTO 300              | SYD-20A-JACK  | 23,286.00 | 1       |
| UPTO 400              | SYD-20B-JACK  | 20,778.00 | 1       |
| UPTO 630              | SYT-102R-JACK | 26,223.00 | 1       |
| UPTO 1000             | SYE-150A-JACK | 46,969.00 | 1       |
| UPTO 1000             | SYE-150B-JACK | 34,534.00 | 1       |

## CORROSION INHIBITING COMPOUND



GTZ - 8785 Rs. 69.00/-

| SPECS.                                                                                                                                                                                           | DOWELL'S CAT. NO. | PRICE (₹)   | STD PKG |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------|---------|
| "Hand Operated Hydraulic Pump<br>(Max. Pressure 10000 P.S.I.)"                                                                                                                                   | R-T1242           | 10,350.00   | 1       |
| "Jack Hose Pipe<br>Standard 2 meters"                                                                                                                                                            | R-T1349           | 3,583.00    | 1       |
| "Electrically Operated Power Pack Capacity = Max. pressure 700 Bar<br>Special features: Electrically Operated Pump Electric Motor: 2HP<br>Tank Capacity: 25 Ltr. Oil: Hydraulic Oil no. 68"      | SYT-117           | 2,25,225.00 | 1       |
| "Electrically Operated<br>Power Pack Capacity = Max. pressure 700<br>Bar Special features: Electrically<br>Operated Pump Electric Motor: 1HP Tank<br>Capacity: 8 Ltr. Oil: Hydraulic Oil no. 68" | SYT-117M          | 75,482.00   | 1       |

## HEAT GUN

- Item Code: DHG2000
- List Price: 3700/-
- Description: DHG2000 Heat Gun
- Technical Details:
  - Input Power: 2000W
  - Rated Voltage: 220-240V~
  - Rated Frequency: 60 Hz
  - Temperature: I:350°C II : 600°C
  - Air Output : I : 300L/min II : 500 L/min



## Dowell's Clientele



**ABB**



**A  
AREVA**

  
**TATA**  
**TATA POWER**

**HITACHI**



**SIEMENS**

  
**Reliance**  
Industries Limited



**WAAREE®**  
*One with the Sun*

**ESSAR** 



## NOTES

This image shows a full page of blank, lined paper. It features approximately 20 evenly spaced horizontal blue or grey lines across its entire width, typical of notebook paper. There are no margins, text, or other markings present.



## POLYCAB

**Manufactured By:**

**Dowells Cable Accessories Pvt. Ltd.**

(Subsidiary company of POLYCAB INDIA LIMITED)

Unit-7, Plot No. 74/P, 74/1/P, 74/2/1, 74/2/2,80, Village:Vaseti,

Taluka : Halol, Dist.: Panchmahals, Gujarat 389352, India.

**Corporate & Head Office: POLYCAB INDIA LIMITED,**

The Ruby, 20th & 21st floor, Senapati Bapat Marg,Tulsi Pipe Road,  
Dadar West, Mumbai – 400 028, Maharashtra, India.

Email: [customercare@polycab.com](mailto:customercare@polycab.com) | Toll Free No. : 1800 267 0008

Website: [www.dowellscableaccessories.com](http://www.dowellscableaccessories.com)

